

Test Condition: NTNV Test Mode: RMC, HSDPA, HSUPA Test Band: Band 1, Band 8

## Test Data

### Clause 4.2.2 WCDMA Transmitter maximum output power


Band	UL Channel	UL Frequency (MHz)	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	882.4	22.76	20.3	25.7	PASS
8	2788	897.6	22.36	20.3	25.7	PASS
8	2863	912.6	22.38	20.3	25.7	PASS
1	9612	1922.4	23.72	20.3	25.7	PASS
1	9750	1950	22.74	20.3	25.7	PASS
1	9888	1977.6	23.65	20.3	25.7	PASS

### Clause 4.2.3 WCDMA Transmitter spectrum emission mask


Band	UL Channel	UL Frequency (MHz)	Range	SEM Margin (dBc)	Verdict
8	2712	882.4	AB	-18.64	PASS
8	2712	882.4	BC	-18.94	PASS
8	2712	882.4	CD	-16.15	PASS
8	2712	882.4	EF	-15.47	PASS
8	2712	882.4	FE	-14.56	PASS
8	2712	882.4	DC	-14.57	PASS
8	2712	882.4	CB	-13.81	PASS
8	2712	882.4	BA	-13.56	PASS
8	2788	897.6	AB	-14.17	PASS
8	2788	897.6	BC	-14.41	PASS
8	2788	897.6	CD	-15.00	PASS
8	2788	897.6	EF	-15.32	PASS
8	2788	897.6	FE	-14.38	PASS
8	2788	897.6	DC	-14.34	PASS
8	2788	897.6	CB	-13.57	PASS
8	2788	897.6	BA	-13.37	PASS
8	2863	912.6	AB	-11.88	PASS
8	2863	912.6	BC	-12.10	PASS
8	2863	912.6	CD	-14.16	PASS
8	2863	912.6	EF	-13.66	PASS
8	2863	912.6	FE	-15.37	PASS
8	2863	912.6	DC	-15.23	PASS
8	2863	912.6	CB	-17.88	PASS
8	2863	912.6	BA	-17.62	PASS
1	9612	1922.4	AB	-8.38	PASS
1	9612	1922.4	BC	-8.70	PASS

1	9612	1922.4	CD	-4.91	PASS
1	9612	1922.4	EF	-5.45	PASS
1	9612	1922.4	FE	-6.66	PASS
1	9612	1922.4	DC	-6.26	PASS
1	9612	1922.4	CB	-9.90	PASS
1	9612	1922.4	BA	-9.36	PASS
1	9750	1950	AB	-9.34	PASS
1	9750	1950	BC	-9.73	PASS
1	9750	1950	CD	-15.31	PASS
1	9750	1950	EF	-15.61	PASS
1	9750	1950	FE	-16.19	PASS
1	9750	1950	DC	-15.66	PASS
1	9750	1950	CB	-9.42	PASS
1	9750	1950	BA	-9.03	PASS
1	9888	1977.6	AB	-10.24	PASS
1	9888	1977.6	BC	-11.31	PASS
1	9888	1977.6	CD	-12.08	PASS
1	9888	1977.6	EF	-12.19	PASS
1	9888	1977.6	FE	-13.30	PASS
1	9888	1977.6	DC	-13.14	PASS
1	9888	1977.6	CB	-12.01	PASS
1	9888	1977.6	BA	-10.83	PASS


Band8 Channel=2712.png




Band8 Channel=2788.png




Band8 Channel=2863.png




Band1 Channel=9612.png



Band1 Channel=9750.png



Band1 Channel=9888.png



### Clause 4.2.4 WCDMA Transmitter spurious emissions

Shenzhen Zhongjian Nanfang Testing Co., Ltd.  
 No. B-C, 1/F., Building 2, Laodong No.2 Industrial Park, Xixiang Road,  
 Bao'an District, Shenzhen, Guangdong, China  
 Telephone: +86 (0) 755 23118282 Fax: +86 (0) 755 23116366


Project No.: CCISE2003117

Band	UL Channel	UL Frequency (MHz)	Range	RBW (KHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
8	2788	897.6	0.009MHz - 0.15MHz	1	0.013089	-78.56	-36	PASS
8	2788	897.6	0.15MHz - 30MHz	10	0.16	-85.68	-36	PASS
8	2788	897.6	30MHz - 791MHz	100	96.1	-91.67	-36	PASS
8	2788	897.6	791MHz - 821MHz	3840	812.78	-79.65	-60	PASS
8	2788	897.6	821MHz - 880MHz	100	873.156	-88.02	-36	PASS
8	2788	897.6	915MHz - 925MHz	100	924.65	-90.42	-36	PASS
8	2788	897.6	925MHz - 935MHz	100	929.83	-89.48	-67	PASS
8	2788	897.6	935MHz - 960MHz	100	952.3	-90.59	-79	PASS
8	2788	897.6	960MHz - 1000MHz	100	968.44	-91.01	-36	PASS
8	2788	897.6	1000MHz - 1805MHz	1000	1794.535	-65.86	-30	PASS
8	2788	897.6	1805MHz - 1830MHz	1000	1814.325	-80.68	-71	PASS
8	2788	897.6	1830MHz - 1880MHz	3840	1835.15	-75.61	-60	PASS
8	2788	897.6	1880MHz - 2110MHz	1000	2000.75	-78.57	-30	PASS
8	2788	897.6	2110MHz - 2170MHz	3840	2159.86	-74.16	-60	PASS
8	2788	897.6	2170MHz - 2585MHz	1000	2342.225	-71.22	-30	PASS
8	2788	897.6	2585MHz - 2640MHz	3840	2588.795	-72.87	-60	PASS
8	2788	897.6	2640MHz - 12750MHz	1000	12325	-68.60	-30	PASS
1	9750	1950	0.009MHz - 0.15MHz	1	0.011115	-79.66	-36	PASS
1	9750	1950	0.15MHz - 30MHz	10	0.17	-85.95	-36	PASS
1	9750	1950	30MHz - 791MHz	100	96.1	-89.38	-36	PASS
1	9750	1950	791MHz - 821MHz	3840	799.13	-79.55	-60	PASS
1	9750	1950	821MHz - 921MHz	100	830.5	-93.11	-36	PASS
1	9750	1950	921MHz - 925MHz	100	921.052	-91.32	-60	PASS
1	9750	1950	925MHz - 935MHz	100	926.82	-91.42	-67	PASS
1	9750	1950	935MHz - 960MHz	100	959.25	-91.41	-79	PASS
1	9750	1950	960MHz - 1000MHz	100	969.88	-91.11	-36	PASS
1	9750	1950	1000MHz - 1805MHz	1000	1684.25	-80.68	-30	PASS
1	9750	1950	1805MHz - 1880MHz	100	1856.075	-89.53	-71	PASS
1	9750	1950	1880MHz -	1000	1901.24	-78.22	-30	PASS

			1920MHz						
1	9750	1950	1980MHz 2110MHz	-	1000	2009.77	-79.31	-30	PASS
1	9750	1950	2110MHz 2170MHz	-	3840	2145.28	-75.07	-60	PASS
1	9750	1950	2170MHz 2585MHz	-	1000	2354.26	-67.41	-30	PASS
1	9750	1950	2585MHz 2690MHz	-	3840	2636.66	-72.50	-60	PASS
1	9750	1950	2690MHz 4000MHz	-	1000	3902	-58.69	-30	PASS
1	9750	1950	4000MHz 12750MHz	-	1000	5847	-61.25	-30	PASS


Band8 Channel=2788.png

**Conducted spurious emissions**



Band1 Channel=9750.png

### Conducted spurious emissions



### Clause 4.2.5 WCDMA Transmitter minimum output power


Band	UL Channel	UL Frequency(MHz)	Power (dBm)	Limit (dBm)	Verdict
8	2712	882.4	-55.37	-49	PASS
8	2788	897.6	-55.76	-49	PASS
8	2863	912.6	-55.75	-49	PASS
1	9612	1922.4	-54.34	-49	PASS
1	9750	1950	-55.22	-49	PASS
1	9888	1977.6	-54.53	-49	PASS

### Clause 4.2.12 WCDMA Transmitter Adjacent Channel Leakage power Ratio (ACLR)


Band	UL Channel	UL Frequency (MHz)	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
8	2712	882.4	-10MHz	-61.00	-42.2	PASS
8	2712	882.4	-5MHz	-47.32	-32.2	PASS
8	2712	882.4	5MHz	-45.36	-32.2	PASS
8	2712	882.4	10MHz	-56.78	-42.2	PASS
8	2788	897.6	-10MHz	-57.36	-42.2	PASS
8	2788	897.6	-5MHz	-46.05	-32.2	PASS
8	2788	897.6	5MHz	-45.21	-32.2	PASS
8	2788	897.6	10MHz	-56.83	-42.2	PASS
8	2863	912.6	-10MHz	-55.48	-42.2	PASS
8	2863	912.6	-5MHz	-44.87	-32.2	PASS
8	2863	912.6	5MHz	-46.34	-32.2	PASS

8	2863	912.6	10MHz	-60.19	-42.2	PASS
1	9612	1922.4	-10MHz	-50.93	-42.2	PASS
1	9612	1922.4	-5MHz	-34.88	-32.2	PASS
1	9612	1922.4	5MHz	-36.12	-32.2	PASS
1	9612	1922.4	10MHz	-51.66	-42.2	PASS
1	9750	1950	-10MHz	-52.19	-42.2	PASS
1	9750	1950	-5MHz	-45.41	-32.2	PASS
1	9750	1950	5MHz	-45.64	-32.2	PASS
1	9750	1950	10MHz	-51.98	-42.2	PASS
1	9888	1977.6	-10MHz	-53.14	-42.2	PASS
1	9888	1977.6	-5MHz	-42.04	-32.2	PASS
1	9888	1977.6	5MHz	-43.13	-32.2	PASS
1	9888	1977.6	10MHz	-53.54	-42.2	PASS


Band8 Channel=2712.png




Band8 Channel=2788.png




Band8 Channel=2863.png




Band1 Channel=9612.png



Band1 Channel=9750.png



Band1 Channel=9888.png



### Clause 4.2.6 WCDMA Receiver adjacent channel selectivity (ACS)

Band	Channel	Frequency (MHz)	Case	Interfer Freq (MHz)	Interfer Level (dBm)	BER (%)	Limit (%)	Verdict
8	2712	882.4	Case1	-5	-52	0.00	0.1	PASS
8	2712	882.4	Case1	5	-52	0.00	0.1	PASS
8	2712	882.4	Case2	-5	-25	0.00	0.1	PASS
8	2712	882.4	Case2	5	-25	0.00	0.1	PASS
8	2787	897.4	Case1	-5	-52	0.00	0.1	PASS
8	2787	897.4	Case1	5	-52	0.00	0.1	PASS
8	2787	897.4	Case2	-5	-25	0.00	0.1	PASS
8	2787	897.4	Case2	5	-25	0.00	0.1	PASS
8	2863	912.6	Case1	-5	-52	0.00	0.1	PASS
8	2863	912.6	Case1	5	-52	0.00	0.1	PASS
8	2863	912.6	Case2	-5	-25	0.00	0.1	PASS
8	2863	912.6	Case2	5	-25	0.00	0.1	PASS
1	9612	1922.4	Case1	-5	-52	0.00	0.1	PASS
1	9612	1922.4	Case1	5	-52	0.00	0.1	PASS
1	9612	1922.4	Case2	-5	-25	0.00	0.1	PASS
1	9612	1922.4	Case2	5	-25	0.00	0.1	PASS
1	9750	1950	Case1	-5	-52	0.00	0.1	PASS
1	9750	1950	Case1	5	-52	0.00	0.1	PASS
1	9750	1950	Case2	-5	-25	0.00	0.1	PASS
1	9750	1950	Case2	5	-25	0.00	0.1	PASS


1	9888	1977.6	Case1	-5	-52	0.00	0.1	PASS
1	9888	1977.6	Case1	5	-52	0.00	0.1	PASS
1	9888	1977.6	Case2	-5	-25	0.00	0.1	PASS
1	9888	1977.6	Case2	5	-25	0.00	0.1	PASS

Band8 Channel=2712 Interfer =-5MHz-25dBm.png


The screenshot displays the 'WCDMA UE RX Measurement 1 - V3.5.32 - Base V 3.5.80' interface. It is divided into several sections:

- Connection Status:** Shows 'Cell' with HSDPA and HSUPA options, 'Circuit Switched' with 'Call Established', and 'Packet Switched' with 'Attached'. It also indicates 'CMW Demod. Info Power: 0% Sync: 0%' and 'DL/UL Alignment 1025Chip'.
- Cell Setup:** Shows 'Band 8' selected, with Downlink Channel 2937 Ch and Uplink Channel 2712 Ch. Frequency is 927.4 MHz (DL) and 882.4 MHz (UL). Output Power is -60.00 dBm. Scrambling Code is 0 hex. P-CPICH is -3.3 dB. PS Domain is checked, and Reduced Signaling is unchecked.
- Results:** A table showing performance metrics: BER [%] 0.000, BLER [%] 0.000, DBLER [%] 0.000, Lost Transport Blocks 0, UL TFCI Faults [%] ---, False Detection Ratio [%] ---, PN Discontinuity 5, and Transport Blocks 100 / 100.
- Connection Setup:** Shows 'Current Connection Test Mode', Type RMC, Domain CS, Data Rate DL 12.2 kbps and UL 12.2 kbps, Test Mode Loop Mode 2, Loop Mode 2 unchecked, Sym. UL CRC, DL Resource in Use 100 %, and Data Pattern PRBS9.


Band8 Channel=2712 Interfer =-5MHz-52dBm.png




Band8 Channel=2712 Interfer =5MHz-25dBm.png




Band8 Channel=2712 Interfer =5MHz-52dBm.png




Band8 Channel=2787 Interfer =-5MHz-25dBm.png




Band8 Channel=2787 Interfer =-5MHz-52dBm.png




Band8 Channel=2787 Interfer =5MHz-25dBm.png




Band8 Channel=2787 Interfer =5MHz-52dBm.png




Band8 Channel=2863 Interfer=-5MHz-25dBm.png




Band8 Channel=2863 Interfer=-5MHz-52dBm.png




Band8 Channel=2863 Interfer =5MHz-25dBm.png




Band8 Channel=2863 Interfer =5MHz-52dBm.png




Band1 Channel=9612 Interfer =-5MHz-25dBm.png




Band1 Channel=9612 Interfer =-5MHz-52dBm.png




Band1 Channel=9612 Interfer =5MHz-25dBm.png




Band1 Channel=9612 Interfer =5MHz-52dBm.png




Band1 Channel=9750 Interfer=-5MHz-25dBm.png




Band1 Channel=9750 Interfer=-5MHz-52dBm.png




Band1 Channel=9750 Interfer =5MHz-25dBm.png




Band1 Channel=9750 Interfer =5MHz-52dBm.png




Band1 Channel=9888 Interfer =-5MHz-25dBm.png




Band1 Channel=9888 Interfer =-5MHz-52dBm.png



Band1 Channel=9888 Interfer =5MHz-25dBm.png




Band1 Channel=9888 Interfer =5MHz-52dBm.png




### Clause 4.2.9 WCDMA Receiver intermodulation characteristics

Band	Channel	UL Frequency (MHz)	DL Frequency (MHz)	Interfer1 Freq (MHz)	Interfer1 Level (dBm)	Interfer2 Freq (MHz)	Interfer2 Level (dBm)	BER (%)	Limit (%)	Verdict
1	9612	1922.4	2112.4	2102.4	-46	2092.4	-46	0.00	0.1	PASS
1	9612	1922.4	2112.4	2122.4	-46	2132.4	-46	0.00	0.1	PASS
1	9750	1950	2140	2130	-46	2120	-46	0.00	0.1	PASS
1	9750	1950	2140	2150	-46	2160	-46	0.00	0.1	PASS
1	9888	1977.6	2167.6	2157.6	-46	2147.6	-46	0.00	0.1	PASS
1	9888	1977.6	2167.6	2177.6	-46	2187.6	-46	0.00	0.1	PASS
8	2712	882.4	927.4	917.4	-46	907.4	-46	0.00	0.1	PASS
8	2712	882.4	927.4	937.4	-46	947.4	-46	0.00	0.1	PASS
8	2787	897.4	942.4	932.4	-46	922.4	-46	0.00	0.1	PASS
8	2787	897.4	942.4	952.4	-46	962.4	-46	0.00	0.1	PASS
8	2863	912.6	957.6	947.6	-46	937.6	-46	0.00	0.1	PASS
8	2863	912.6	957.6	967.6	-46	977.6	-46	0.00	0.1	PASS


Band1 Channel=9612 Interfer1=2102.4MHz-46dBm Interfer2=2092.4MHz-46dBm.png




Band1 Channel=9612 Interfer1=2122.4MHz-46dBm Interfer2=2132.4MHz-46dBm.png




Band1 Channel=9750 Interfer1=2130MHz-46dBm Interfer2=2120MHz-46dBm.png




Band1 Channel=9750 Interfer1=2150MHz-46dBm Interfer2=2160MHz-46dBm.png




Band1 Channel=9888 Interfer1=2157.6MHz-46dBm Interfer2=2147.6MHz-46dBm.png




Band1 Channel=9888 Interfer1=2177.6MHz-46dBm Interfer2=2187.6MHz-46dBm.png




Band8 Channel=2712 Interfer1=917.4MHz-46dBm Interfer2=907.4MHz-46dBm.png




Band8 Channel=2712 Interfer1=937.4MHz-46dBm Interfer2=947.4MHz-46dBm.png




Band8 Channel=2787 Interfer1=932.4MHz-46dBm Interfer2=922.4MHz-46dBm.png




Band8 Channel=2787 Interfer1=952.4MHz-46dBm Interfer2=962.4MHz-46dBm.png



Band8 Channel=2863 Interfer1=947.6MHz-46dBm Interfer2=937.6MHz-46dBm.png



Band8 Channel=2863 Interfer1=967.6MHz-46dBm Interfer2=977.6MHz-46dBm.png




## Clause 4.2.10 WCDMA Receiver spurious emissions

Band	UL Channel	UL Frequency (MHz)	Range	RBW (KHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
8	2788	897.6	30MHz - 880MHz	100	792.9	-92.34	-57	PASS
8	2788	897.6	880MHz - 915MHz	3840	904.43	-79.28	-60	PASS
8	2788	897.6	915MHz - 1000MHz	1000	971.44	-83.00	-57	PASS
8	2788	897.6	1000MHz - 12750MHz	1000	2405	-68.56	-47	PASS
1	9750	1950	30MHz - 1000MHz	100	977.2	-91.89	-57	PASS
1	9750	1950	1000MHz - 1920MHz	1000	1738.76	-80.73	-47	PASS
1	9750	1950	1920MHz - 1980MHz	3840	1959.6	-76.79	-60	PASS
1	9750	1950	1980MHz - 12750MHz	1000	2408	-64.22	-47	PASS


Band8 Channel=2788.png

**Conducted spurious emissions**



Band1 Channel=9750.png

### Conducted spurious emissions



### Clause 4.2.13 WCDMA Receiver Reference Sensitivity level

Band	Channel	Frequency(MHz)	Ref Sensitivity Level(dBm)	BER (%)	Limit (%)	Verdict
8	2712	882.4	-106	0.00	0.1	PASS
8	2788	897.6	-106	0.00	0.1	PASS
8	2863	912.6	-106	0.00	0.1	PASS
1	9612	1922.4	-106	0.00	0.1	PASS
1	9750	1950	-106	0.00	0.1	PASS
1	9888	1977.6	-106	0.00	0.1	PASS

### Clause 4.2.3 HSDPA Transmitter spectrum emission mask

Band	UL Channel	UL Frequency (MHz)	Subtest	Range	SEM Margin (dBc)	Verdict
1	9612	1922.4	Subtest1	AB	-8.81	PASS
1	9612	1922.4	Subtest1	BC	-9.61	PASS
1	9612	1922.4	Subtest1	CD	-10.66	PASS
1	9612	1922.4	Subtest1	EF	-10.70	PASS
1	9612	1922.4	Subtest1	FE	-11.49	PASS
1	9612	1922.4	Subtest1	DC	-11.53	PASS
1	9612	1922.4	Subtest1	CB	-9.92	PASS
1	9612	1922.4	Subtest1	BA	-9.19	PASS
1	9612	1922.4	Subtest2	AB	-7.22	PASS
1	9612	1922.4	Subtest2	BC	-7.60	PASS
1	9612	1922.4	Subtest2	CD	-9.05	PASS

1	9612	1922.4	Subtest2	EF	-9.45	PASS
1	9612	1922.4	Subtest2	FE	-10.04	PASS
1	9612	1922.4	Subtest2	DC	-9.71	PASS
1	9612	1922.4	Subtest2	CB	-7.88	PASS
1	9612	1922.4	Subtest2	BA	-7.54	PASS
1	9612	1922.4	Subtest3	AB	-6.12	PASS
1	9612	1922.4	Subtest3	BC	-6.37	PASS
1	9612	1922.4	Subtest3	CD	-8.81	PASS
1	9612	1922.4	Subtest3	EF	-10.19	PASS
1	9612	1922.4	Subtest3	FE	-9.57	PASS
1	9612	1922.4	Subtest3	DC	-9.22	PASS
1	9612	1922.4	Subtest3	CB	-6.76	PASS
1	9612	1922.4	Subtest3	BA	-6.52	PASS
1	9612	1922.4	Subtest4	AB	-5.06	PASS
1	9612	1922.4	Subtest4	BC	-5.27	PASS
1	9612	1922.4	Subtest4	CD	-7.74	PASS
1	9612	1922.4	Subtest4	EF	-8.88	PASS
1	9612	1922.4	Subtest4	FE	-8.08	PASS
1	9612	1922.4	Subtest4	DC	-8.26	PASS
1	9612	1922.4	Subtest4	CB	-5.95	PASS
1	9612	1922.4	Subtest4	BA	-5.80	PASS
1	9750	1950	Subtest1	AB	-8.52	PASS
1	9750	1950	Subtest1	BC	-8.83	PASS
1	9750	1950	Subtest1	CD	-15.11	PASS
1	9750	1950	Subtest1	EF	-14.99	PASS
1	9750	1950	Subtest1	FE	-15.30	PASS
1	9750	1950	Subtest1	DC	-15.55	PASS
1	9750	1950	Subtest1	CB	-8.60	PASS
1	9750	1950	Subtest1	BA	-8.28	PASS
1	9750	1950	Subtest2	AB	-7.46	PASS
1	9750	1950	Subtest2	BC	-7.78	PASS
1	9750	1950	Subtest2	CD	-14.41	PASS
1	9750	1950	Subtest2	EF	-14.57	PASS
1	9750	1950	Subtest2	FE	-14.46	PASS
1	9750	1950	Subtest2	DC	-14.30	PASS
1	9750	1950	Subtest2	CB	-7.41	PASS
1	9750	1950	Subtest2	BA	-7.11	PASS
1	9750	1950	Subtest3	AB	-7.29	PASS
1	9750	1950	Subtest3	BC	-7.54	PASS
1	9750	1950	Subtest3	CD	-12.36	PASS
1	9750	1950	Subtest3	EF	-13.02	PASS
1	9750	1950	Subtest3	FE	-12.14	PASS
1	9750	1950	Subtest3	DC	-11.86	PASS


1	9750	1950	Subtest3	CB	-7.17	PASS
1	9750	1950	Subtest3	BA	-6.98	PASS
1	9750	1950	Subtest4	AB	-7.35	PASS
1	9750	1950	Subtest4	BC	-7.59	PASS
1	9750	1950	Subtest4	CD	-12.02	PASS
1	9750	1950	Subtest4	EF	-10.89	PASS
1	9750	1950	Subtest4	FE	-11.96	PASS
1	9750	1950	Subtest4	DC	-11.74	PASS
1	9750	1950	Subtest4	CB	-7.08	PASS
1	9750	1950	Subtest4	BA	-6.89	PASS
1	9888	1977.6	Subtest1	AB	-9.14	PASS
1	9888	1977.6	Subtest1	BC	-9.90	PASS
1	9888	1977.6	Subtest1	CD	-14.61	PASS
1	9888	1977.6	Subtest1	EF	-14.46	PASS
1	9888	1977.6	Subtest1	FE	-15.95	PASS
1	9888	1977.6	Subtest1	DC	-15.89	PASS
1	9888	1977.6	Subtest1	CB	-10.87	PASS
1	9888	1977.6	Subtest1	BA	-10.15	PASS
1	9888	1977.6	Subtest2	AB	-7.92	PASS
1	9888	1977.6	Subtest2	BC	-8.29	PASS
1	9888	1977.6	Subtest2	CD	-13.59	PASS
1	9888	1977.6	Subtest2	EF	-13.89	PASS
1	9888	1977.6	Subtest2	FE	-14.74	PASS
1	9888	1977.6	Subtest2	DC	-14.45	PASS
1	9888	1977.6	Subtest2	CB	-8.71	PASS
1	9888	1977.6	Subtest2	BA	-8.34	PASS
1	9888	1977.6	Subtest3	AB	-7.24	PASS
1	9888	1977.6	Subtest3	BC	-7.53	PASS
1	9888	1977.6	Subtest3	CD	-13.07	PASS
1	9888	1977.6	Subtest3	EF	-13.46	PASS
1	9888	1977.6	Subtest3	FE	-15.04	PASS
1	9888	1977.6	Subtest3	DC	-13.88	PASS
1	9888	1977.6	Subtest3	CB	-8.04	PASS
1	9888	1977.6	Subtest3	BA	-7.75	PASS
1	9888	1977.6	Subtest4	AB	-7.26	PASS
1	9888	1977.6	Subtest4	BC	-7.51	PASS
1	9888	1977.6	Subtest4	CD	-12.75	PASS
1	9888	1977.6	Subtest4	EF	-13.01	PASS
1	9888	1977.6	Subtest4	FE	-14.69	PASS
1	9888	1977.6	Subtest4	DC	-13.73	PASS
1	9888	1977.6	Subtest4	CB	-7.98	PASS
1	9888	1977.6	Subtest4	BA	-7.72	PASS
8	2712	882.4	Subtest1	AB	-17.84	PASS

8	2712	882.4	Subtest1	BC	-18.17	PASS
8	2712	882.4	Subtest1	CD	-16.68	PASS
8	2712	882.4	Subtest1	EF	-16.03	PASS
8	2712	882.4	Subtest1	FE	-15.37	PASS
8	2712	882.4	Subtest1	DC	-14.99	PASS
8	2712	882.4	Subtest1	CB	-13.58	PASS
8	2712	882.4	Subtest1	BA	-13.32	PASS
8	2712	882.4	Subtest2	AB	-14.72	PASS
8	2712	882.4	Subtest2	BC	-15.11	PASS
8	2712	882.4	Subtest2	CD	-16.82	PASS
8	2712	882.4	Subtest2	EF	-17.05	PASS
8	2712	882.4	Subtest2	FE	-15.33	PASS
8	2712	882.4	Subtest2	DC	-14.77	PASS
8	2712	882.4	Subtest2	CB	-12.06	PASS
8	2712	882.4	Subtest2	BA	-11.78	PASS
8	2712	882.4	Subtest3	AB	-14.78	PASS
8	2712	882.4	Subtest3	BC	-15.27	PASS
8	2712	882.4	Subtest3	CD	-16.57	PASS
8	2712	882.4	Subtest3	EF	-16.65	PASS
8	2712	882.4	Subtest3	FE	-14.42	PASS
8	2712	882.4	Subtest3	DC	-14.36	PASS
8	2712	882.4	Subtest3	CB	-12.49	PASS
8	2712	882.4	Subtest3	BA	-12.25	PASS
8	2712	882.4	Subtest4	AB	-15.20	PASS
8	2712	882.4	Subtest4	BC	-15.57	PASS
8	2712	882.4	Subtest4	CD	-16.22	PASS
8	2712	882.4	Subtest4	EF	-16.16	PASS
8	2712	882.4	Subtest4	FE	-14.10	PASS
8	2712	882.4	Subtest4	DC	-14.07	PASS
8	2712	882.4	Subtest4	CB	-12.45	PASS
8	2712	882.4	Subtest4	BA	-12.20	PASS
8	2788	897.6	Subtest1	AB	-13.86	PASS
8	2788	897.6	Subtest1	BC	-14.14	PASS
8	2788	897.6	Subtest1	CD	-15.23	PASS
8	2788	897.6	Subtest1	EF	-14.77	PASS
8	2788	897.6	Subtest1	FE	-14.81	PASS
8	2788	897.6	Subtest1	DC	-14.47	PASS
8	2788	897.6	Subtest1	CB	-13.56	PASS
8	2788	897.6	Subtest1	BA	-13.30	PASS
8	2788	897.6	Subtest2	AB	-11.89	PASS
8	2788	897.6	Subtest2	BC	-12.21	PASS
8	2788	897.6	Subtest2	CD	-15.14	PASS
8	2788	897.6	Subtest2	EF	-15.40	PASS


8	2788	897.6	Subtest2	FE	-15.56	PASS
8	2788	897.6	Subtest2	DC	-14.26	PASS
8	2788	897.6	Subtest2	CB	-12.03	PASS
8	2788	897.6	Subtest2	BA	-11.73	PASS
8	2788	897.6	Subtest3	AB	-12.49	PASS
8	2788	897.6	Subtest3	BC	-12.79	PASS
8	2788	897.6	Subtest3	CD	-15.07	PASS
8	2788	897.6	Subtest3	EF	-15.33	PASS
8	2788	897.6	Subtest3	FE	-14.97	PASS
8	2788	897.6	Subtest3	DC	-14.00	PASS
8	2788	897.6	Subtest3	CB	-12.38	PASS
8	2788	897.6	Subtest3	BA	-12.11	PASS
8	2788	897.6	Subtest4	AB	-12.30	PASS
8	2788	897.6	Subtest4	BC	-12.63	PASS
8	2788	897.6	Subtest4	CD	-15.02	PASS
8	2788	897.6	Subtest4	EF	-14.94	PASS
8	2788	897.6	Subtest4	FE	-14.09	PASS
8	2788	897.6	Subtest4	DC	-13.87	PASS
8	2788	897.6	Subtest4	CB	-12.24	PASS
8	2788	897.6	Subtest4	BA	-11.99	PASS
8	2863	912.6	Subtest1	AB	-11.82	PASS
8	2863	912.6	Subtest1	BC	-12.05	PASS
8	2863	912.6	Subtest1	CD	-13.95	PASS
8	2863	912.6	Subtest1	EF	-13.89	PASS
8	2863	912.6	Subtest1	FE	-15.27	PASS
8	2863	912.6	Subtest1	DC	-15.37	PASS
8	2863	912.6	Subtest1	CB	-17.87	PASS
8	2863	912.6	Subtest1	BA	-17.60	PASS
8	2863	912.6	Subtest2	AB	-10.66	PASS
8	2863	912.6	Subtest2	BC	-10.95	PASS
8	2863	912.6	Subtest2	CD	-13.73	PASS
8	2863	912.6	Subtest2	EF	-14.79	PASS
8	2863	912.6	Subtest2	FE	-15.63	PASS
8	2863	912.6	Subtest2	DC	-14.85	PASS
8	2863	912.6	Subtest2	CB	-15.23	PASS
8	2863	912.6	Subtest2	BA	-14.91	PASS
8	2863	912.6	Subtest3	AB	-11.26	PASS
8	2863	912.6	Subtest3	BC	-11.53	PASS
8	2863	912.6	Subtest3	CD	-13.47	PASS
8	2863	912.6	Subtest3	EF	-12.43	PASS
8	2863	912.6	Subtest3	FE	-15.53	PASS
8	2863	912.6	Subtest3	DC	-14.66	PASS
8	2863	912.6	Subtest3	CB	-15.24	PASS

8	2863	912.6	Subtest3	BA	-14.93	PASS
8	2863	912.6	Subtest4	AB	-11.30	PASS
8	2863	912.6	Subtest4	BC	-11.59	PASS
8	2863	912.6	Subtest4	CD	-13.14	PASS
8	2863	912.6	Subtest4	EF	-12.64	PASS
8	2863	912.6	Subtest4	FE	-14.61	PASS
8	2863	912.6	Subtest4	DC	-14.58	PASS
8	2863	912.6	Subtest4	CB	-15.25	PASS
8	2863	912.6	Subtest4	BA	-14.92	PASS


Band1 Channel=9612 Subtest1.png




Band1 Channel=9612 Subtest2.png




Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band8 Channel=2712 Subtest1.png




Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png




Band8 Channel=2712 Subtest4.png




Band8 Channel=2788 Subtest1.png




Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png



Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png




### Clause 4.2.12 HSDPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)

Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-51.40	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-40.65	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-41.75	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-52.01	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-50.03	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-40.17	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-41.21	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-50.97	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-50.61	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-40.18	-32.2	PASS
1	9612	1922.4	Subtest3	5MHz	-40.85	-32.2	PASS
1	9612	1922.4	Subtest3	10MHz	-51.32	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-50.32	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-40.03	-32.2	PASS
1	9612	1922.4	Subtest4	5MHz	-40.56	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-51.12	-42.2	PASS
1	9750	1950	Subtest1	-10MHz	-51.80	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-44.83	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-44.85	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-51.59	-42.2	PASS


1	9750	1950	Subtest2	-10MHz	-50.83	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-44.21	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-44.14	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-50.85	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-51.14	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-42.15	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-41.84	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-50.95	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-51.31	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-42.53	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-42.14	-32.2	PASS
1	9750	1950	Subtest4	10MHz	-51.15	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-52.22	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-44.97	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-46.03	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-52.51	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-50.78	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-43.44	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-44.32	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-51.32	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-50.88	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-43.45	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-44.23	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-51.40	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-50.78	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-42.41	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-43.41	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-51.41	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-60.10	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-47.63	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-45.59	-32.2	PASS
8	2712	882.4	Subtest1	10MHz	-56.52	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-57.40	-42.2	PASS
8	2712	882.4	Subtest2	-5MHz	-47.45	-32.2	PASS
8	2712	882.4	Subtest2	5MHz	-45.24	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-55.09	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-56.76	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-47.63	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-45.09	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-55.10	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-57.05	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-47.22	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-44.79	-32.2	PASS

8	2712	882.4	Subtest4	10MHz	-55.27	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-56.77	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-45.87	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-44.99	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-56.33	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-55.01	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-45.78	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-44.78	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-54.95	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-55.00	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-45.75	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-44.61	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-55.08	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-55.30	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-45.69	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-44.68	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-55.29	-42.2	PASS
8	2863	912.6	Subtest1	-10MHz	-55.51	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-44.48	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-46.28	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-60.13	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-53.94	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-44.29	-32.2	PASS
8	2863	912.6	Subtest2	5MHz	-45.94	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-57.12	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-54.42	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-43.79	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-45.44	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-57.17	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-54.55	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-43.75	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-45.52	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-57.31	-42.2	PASS


Band1 Channel=9612 Subtest1.png




Band1 Channel=9612 Subtest2.png




Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band8 Channel=2712 Subtest1.png




Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png




Band8 Channel=2712 Subtest4.png




Band8 Channel=2788 Subtest1.png




Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png



Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



## Clause 4.2.2 HSDPA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	912.6	Subtest1	21.49	18.8	25.7	PASS
8	2712	882.4	Subtest2	21.70	18.8	25.7	PASS
8	2712	882.4	Subtest3	19.49	18.8	25.7	PASS
8	2712	882.4	Subtest4	21.68	18.8	25.7	PASS
8	2788	897.6	Subtest1	21.36	18.8	25.7	PASS
8	2788	897.6	Subtest2	21.04	18.8	25.7	PASS
8	2788	897.6	Subtest3	20.78	18.8	25.7	PASS
8	2788	897.6	Subtest4	20.01	18.8	25.7	PASS
8	2863	912.6	Subtest1	21.40	18.8	25.7	PASS
8	2863	912.6	Subtest2	20.40	18.8	25.7	PASS
8	2863	912.6	Subtest3	20.97	18.8	25.7	PASS
8	2863	912.6	Subtest4	20.83	18.8	25.7	PASS
1	9612	1977.6	Subtest1	21.98	18.8	25.7	PASS
1	9612	1922.4	Subtest2	22.65	18.8	25.7	PASS
1	9612	1922.4	Subtest3	21.35	18.8	25.7	PASS
1	9612	1922.4	Subtest4	19.96	18.8	25.7	PASS
1	9750	1950	Subtest1	20.01	18.8	25.7	PASS
1	9750	1950	Subtest2	19.74	18.8	25.7	PASS
1	9750	1950	Subtest3	19.68	18.8	25.7	PASS
1	9750	1950	Subtest4	19.67	18.8	25.7	PASS
1	9888	1977.6	Subtest1	22.38	18.8	25.7	PASS
1	9888	1977.6	Subtest2	21.98	18.8	25.7	PASS
1	9888	1977.6	Subtest3	19.60	18.8	25.7	PASS
1	9888	1977.6	Subtest4	19.76	18.8	25.7	PASS

### Clause 4.2.3 HSUPA Transmitter spectrum emission mask

Band	UL Channel	UL Frequency (MHz)	Subtest	Range	SEM Margin (dBc)	Verdict
1	9612	1922.4	Subtest1	AB	-6.99	PASS
1	9612	1922.4	Subtest1	BC	-7.38	PASS
1	9612	1922.4	Subtest1	CD	-8.99	PASS
1	9612	1922.4	Subtest1	EF	-9.55	PASS
1	9612	1922.4	Subtest1	FE	-10.14	PASS
1	9612	1922.4	Subtest1	DC	-9.77	PASS
1	9612	1922.4	Subtest1	CB	-7.73	PASS
1	9612	1922.4	Subtest1	BA	-7.38	PASS
1	9612	1922.4	Subtest2	AB	-8.67	PASS
1	9612	1922.4	Subtest2	BC	-9.13	PASS
1	9612	1922.4	Subtest2	CD	-10.11	PASS
1	9612	1922.4	Subtest2	EF	-10.35	PASS
1	9612	1922.4	Subtest2	FE	-11.57	PASS
1	9612	1922.4	Subtest2	DC	-10.96	PASS
1	9612	1922.4	Subtest2	CB	-9.59	PASS

1	9612	1922.4	Subtest2	BA	-9.01	PASS
1	9612	1922.4	Subtest3	AB	-6.15	PASS
1	9612	1922.4	Subtest3	BC	-6.45	PASS
1	9612	1922.4	Subtest3	CD	-10.42	PASS
1	9612	1922.4	Subtest3	EF	-11.17	PASS
1	9612	1922.4	Subtest3	FE	-11.74	PASS
1	9612	1922.4	Subtest3	DC	-10.69	PASS
1	9612	1922.4	Subtest3	CB	-7.04	PASS
1	9612	1922.4	Subtest3	BA	-6.78	PASS
1	9612	1922.4	Subtest4	AB	-8.76	PASS
1	9612	1922.4	Subtest4	BC	-9.63	PASS
1	9612	1922.4	Subtest4	CD	-10.46	PASS
1	9612	1922.4	Subtest4	EF	-10.33	PASS
1	9612	1922.4	Subtest4	FE	-11.94	PASS
1	9612	1922.4	Subtest4	DC	-11.58	PASS
1	9612	1922.4	Subtest4	CB	-9.86	PASS
1	9612	1922.4	Subtest4	BA	-9.04	PASS
1	9612	1922.4	Subtest5	AB	-6.26	PASS
1	9612	1922.4	Subtest5	BC	-6.62	PASS
1	9612	1922.4	Subtest5	CD	-9.05	PASS
1	9612	1922.4	Subtest5	EF	-10.49	PASS
1	9612	1922.4	Subtest5	FE	-10.44	PASS
1	9612	1922.4	Subtest5	DC	-9.77	PASS
1	9612	1922.4	Subtest5	CB	-7.37	PASS
1	9612	1922.4	Subtest5	BA	-7.04	PASS
1	9750	1950	Subtest1	AB	-6.91	PASS
1	9750	1950	Subtest1	BC	-7.20	PASS
1	9750	1950	Subtest1	CD	-14.16	PASS
1	9750	1950	Subtest1	EF	-14.39	PASS
1	9750	1950	Subtest1	FE	-15.13	PASS
1	9750	1950	Subtest1	DC	-14.11	PASS
1	9750	1950	Subtest1	CB	-6.85	PASS
1	9750	1950	Subtest1	BA	-6.57	PASS
1	9750	1950	Subtest2	AB	-8.42	PASS
1	9750	1950	Subtest2	BC	-8.67	PASS
1	9750	1950	Subtest2	CD	-14.89	PASS
1	9750	1950	Subtest2	EF	-15.21	PASS
1	9750	1950	Subtest2	FE	-15.64	PASS
1	9750	1950	Subtest2	DC	-14.89	PASS
1	9750	1950	Subtest2	CB	-8.02	PASS
1	9750	1950	Subtest2	BA	-7.79	PASS
1	9750	1950	Subtest3	AB	-7.16	PASS
1	9750	1950	Subtest3	BC	-7.42	PASS

1	9750	1950	Subtest3	CD	-12.93	PASS
1	9750	1950	Subtest3	EF	-13.41	PASS
1	9750	1950	Subtest3	FE	-13.43	PASS
1	9750	1950	Subtest3	DC	-12.79	PASS
1	9750	1950	Subtest3	CB	-7.39	PASS
1	9750	1950	Subtest3	BA	-7.15	PASS
1	9750	1950	Subtest4	AB	-8.25	PASS
1	9750	1950	Subtest4	BC	-8.58	PASS
1	9750	1950	Subtest4	CD	-15.17	PASS
1	9750	1950	Subtest4	EF	-15.08	PASS
1	9750	1950	Subtest4	FE	-14.92	PASS
1	9750	1950	Subtest4	DC	-15.37	PASS
1	9750	1950	Subtest4	CB	-8.26	PASS
1	9750	1950	Subtest4	BA	-7.95	PASS
1	9750	1950	Subtest5	AB	-6.65	PASS
1	9750	1950	Subtest5	BC	-6.96	PASS
1	9750	1950	Subtest5	CD	-13.83	PASS
1	9750	1950	Subtest5	EF	-13.59	PASS
1	9750	1950	Subtest5	FE	-14.19	PASS
1	9750	1950	Subtest5	DC	-13.82	PASS
1	9750	1950	Subtest5	CB	-6.91	PASS
1	9750	1950	Subtest5	BA	-6.64	PASS
1	9888	1977.6	Subtest1	AB	-8.37	PASS
1	9888	1977.6	Subtest1	BC	-8.74	PASS
1	9888	1977.6	Subtest1	CD	-13.87	PASS
1	9888	1977.6	Subtest1	EF	-14.34	PASS
1	9888	1977.6	Subtest1	FE	-15.60	PASS
1	9888	1977.6	Subtest1	DC	-14.75	PASS
1	9888	1977.6	Subtest1	CB	-9.01	PASS
1	9888	1977.6	Subtest1	BA	-8.64	PASS
1	9888	1977.6	Subtest2	AB	-9.53	PASS
1	9888	1977.6	Subtest2	BC	-10.03	PASS
1	9888	1977.6	Subtest2	CD	-14.53	PASS
1	9888	1977.6	Subtest2	EF	-14.32	PASS
1	9888	1977.6	Subtest2	FE	-16.12	PASS
1	9888	1977.6	Subtest2	DC	-15.45	PASS
1	9888	1977.6	Subtest2	CB	-10.32	PASS
1	9888	1977.6	Subtest2	BA	-9.66	PASS
1	9888	1977.6	Subtest3	AB	-7.23	PASS
1	9888	1977.6	Subtest3	BC	-7.58	PASS
1	9888	1977.6	Subtest3	CD	-13.47	PASS
1	9888	1977.6	Subtest3	EF	-13.56	PASS
1	9888	1977.6	Subtest3	FE	-14.91	PASS


1	9888	1977.6	Subtest3	DC	-14.14	PASS
1	9888	1977.6	Subtest3	CB	-8.14	PASS
1	9888	1977.6	Subtest3	BA	-7.83	PASS
1	9888	1977.6	Subtest4	AB	-9.41	PASS
1	9888	1977.6	Subtest4	BC	-10.07	PASS
1	9888	1977.6	Subtest4	CD	-14.83	PASS
1	9888	1977.6	Subtest4	EF	-14.42	PASS
1	9888	1977.6	Subtest4	FE	-16.55	PASS
1	9888	1977.6	Subtest4	DC	-15.83	PASS
1	9888	1977.6	Subtest4	CB	-10.45	PASS
1	9888	1977.6	Subtest4	BA	-9.71	PASS
1	9888	1977.6	Subtest5	AB	-7.14	PASS
1	9888	1977.6	Subtest5	BC	-7.51	PASS
1	9888	1977.6	Subtest5	CD	-13.75	PASS
1	9888	1977.6	Subtest5	EF	-14.02	PASS
1	9888	1977.6	Subtest5	FE	-16.07	PASS
1	9888	1977.6	Subtest5	DC	-14.80	PASS
1	9888	1977.6	Subtest5	CB	-8.51	PASS
1	9888	1977.6	Subtest5	BA	-8.14	PASS
8	2712	882.4	Subtest1	AB	-14.03	PASS
8	2712	882.4	Subtest1	BC	-14.56	PASS
8	2712	882.4	Subtest1	CD	-16.52	PASS
8	2712	882.4	Subtest1	EF	-16.63	PASS
8	2712	882.4	Subtest1	FE	-14.76	PASS
8	2712	882.4	Subtest1	DC	-14.70	PASS
8	2712	882.4	Subtest1	CB	-11.73	PASS
8	2712	882.4	Subtest1	BA	-11.44	PASS
8	2712	882.4	Subtest2	AB	-14.36	PASS
8	2712	882.4	Subtest2	BC	-14.91	PASS
8	2712	882.4	Subtest2	CD	-16.54	PASS
8	2712	882.4	Subtest2	EF	-15.82	PASS
8	2712	882.4	Subtest2	FE	-15.06	PASS
8	2712	882.4	Subtest2	DC	-14.80	PASS
8	2712	882.4	Subtest2	CB	-12.18	PASS
8	2712	882.4	Subtest2	BA	-11.92	PASS
8	2712	882.4	Subtest3	AB	-13.04	PASS
8	2712	882.4	Subtest3	BC	-13.57	PASS
8	2712	882.4	Subtest3	CD	-16.64	PASS
8	2712	882.4	Subtest3	EF	-16.10	PASS
8	2712	882.4	Subtest3	FE	-15.02	PASS
8	2712	882.4	Subtest3	DC	-14.30	PASS
8	2712	882.4	Subtest3	CB	-11.38	PASS
8	2712	882.4	Subtest3	BA	-11.09	PASS

8	2712	882.4	Subtest4	AB	-16.29	PASS
8	2712	882.4	Subtest4	BC	-16.63	PASS
8	2712	882.4	Subtest4	CD	-16.59	PASS
8	2712	882.4	Subtest4	EF	-16.20	PASS
8	2712	882.4	Subtest4	FE	-15.32	PASS
8	2712	882.4	Subtest4	DC	-14.98	PASS
8	2712	882.4	Subtest4	CB	-13.04	PASS
8	2712	882.4	Subtest4	BA	-12.75	PASS
8	2712	882.4	Subtest5	AB	-13.75	PASS
8	2712	882.4	Subtest5	BC	-14.21	PASS
8	2712	882.4	Subtest5	CD	-16.76	PASS
8	2712	882.4	Subtest5	EF	-16.86	PASS
8	2712	882.4	Subtest5	FE	-15.13	PASS
8	2712	882.4	Subtest5	DC	-14.67	PASS
8	2712	882.4	Subtest5	CB	-11.41	PASS
8	2712	882.4	Subtest5	BA	-11.10	PASS
8	2788	897.6	Subtest1	AB	-11.81	PASS
8	2788	897.6	Subtest1	BC	-12.13	PASS
8	2788	897.6	Subtest1	CD	-15.38	PASS
8	2788	897.6	Subtest1	EF	-15.72	PASS
8	2788	897.6	Subtest1	FE	-15.05	PASS
8	2788	897.6	Subtest1	DC	-14.07	PASS
8	2788	897.6	Subtest1	CB	-11.46	PASS
8	2788	897.6	Subtest1	BA	-11.18	PASS
8	2788	897.6	Subtest2	AB	-12.30	PASS
8	2788	897.6	Subtest2	BC	-12.59	PASS
8	2788	897.6	Subtest2	CD	-15.00	PASS
8	2788	897.6	Subtest2	EF	-14.86	PASS
8	2788	897.6	Subtest2	FE	-15.00	PASS
8	2788	897.6	Subtest2	DC	-14.26	PASS
8	2788	897.6	Subtest2	CB	-12.05	PASS
8	2788	897.6	Subtest2	BA	-11.81	PASS
8	2788	897.6	Subtest3	AB	-11.13	PASS
8	2788	897.6	Subtest3	BC	-11.45	PASS
8	2788	897.6	Subtest3	CD	-15.09	PASS
8	2788	897.6	Subtest3	EF	-15.76	PASS
8	2788	897.6	Subtest3	FE	-15.42	PASS
8	2788	897.6	Subtest3	DC	-13.93	PASS
8	2788	897.6	Subtest3	CB	-11.31	PASS
8	2788	897.6	Subtest3	BA	-11.02	PASS
8	2788	897.6	Subtest4	AB	-12.93	PASS
8	2788	897.6	Subtest4	BC	-13.24	PASS
8	2788	897.6	Subtest4	CD	-15.04	PASS


8	2788	897.6	Subtest4	EF	-14.99	PASS
8	2788	897.6	Subtest4	FE	-15.30	PASS
8	2788	897.6	Subtest4	DC	-14.33	PASS
8	2788	897.6	Subtest4	CB	-12.78	PASS
8	2788	897.6	Subtest4	BA	-12.52	PASS
8	2788	897.6	Subtest5	AB	-11.08	PASS
8	2788	897.6	Subtest5	BC	-11.40	PASS
8	2788	897.6	Subtest5	CD	-15.13	PASS
8	2788	897.6	Subtest5	EF	-15.46	PASS
8	2788	897.6	Subtest5	FE	-14.62	PASS
8	2788	897.6	Subtest5	DC	-14.25	PASS
8	2788	897.6	Subtest5	CB	-11.61	PASS
8	2788	897.6	Subtest5	BA	-11.32	PASS
8	2863	912.6	Subtest1	AB	-10.24	PASS
8	2863	912.6	Subtest1	BC	-10.52	PASS
8	2863	912.6	Subtest1	CD	-13.38	PASS
8	2863	912.6	Subtest1	EF	-13.69	PASS
8	2863	912.6	Subtest1	FE	-15.27	PASS
8	2863	912.6	Subtest1	DC	-14.99	PASS
8	2863	912.6	Subtest1	CB	-14.24	PASS
8	2863	912.6	Subtest1	BA	-13.90	PASS
8	2863	912.6	Subtest2	AB	-11.13	PASS
8	2863	912.6	Subtest2	BC	-11.38	PASS
8	2863	912.6	Subtest2	CD	-13.84	PASS
8	2863	912.6	Subtest2	EF	-14.35	PASS
8	2863	912.6	Subtest2	FE	-15.36	PASS
8	2863	912.6	Subtest2	DC	-15.16	PASS
8	2863	912.6	Subtest2	CB	-14.60	PASS
8	2863	912.6	Subtest2	BA	-14.27	PASS
8	2863	912.6	Subtest3	AB	-10.48	PASS
8	2863	912.6	Subtest3	BC	-10.76	PASS
8	2863	912.6	Subtest3	CD	-13.48	PASS
8	2863	912.6	Subtest3	EF	-14.21	PASS
8	2863	912.6	Subtest3	FE	-14.95	PASS
8	2863	912.6	Subtest3	DC	-14.90	PASS
8	2863	912.6	Subtest3	CB	-14.01	PASS
8	2863	912.6	Subtest3	BA	-13.68	PASS
8	2863	912.6	Subtest4	AB	-11.36	PASS
8	2863	912.6	Subtest4	BC	-11.59	PASS
8	2863	912.6	Subtest4	CD	-13.78	PASS
8	2863	912.6	Subtest4	EF	-13.75	PASS
8	2863	912.6	Subtest4	FE	-15.39	PASS
8	2863	912.6	Subtest4	DC	-15.45	PASS

8	2863	912.6	Subtest4	CB	-16.48	PASS
8	2863	912.6	Subtest4	BA	-16.17	PASS
8	2863	912.6	Subtest5	AB	-10.02	PASS
8	2863	912.6	Subtest5	BC	-10.30	PASS
8	2863	912.6	Subtest5	CD	-13.53	PASS
8	2863	912.6	Subtest5	EF	-14.44	PASS
8	2863	912.6	Subtest5	FE	-15.78	PASS
8	2863	912.6	Subtest5	DC	-15.07	PASS
8	2863	912.6	Subtest5	CB	-14.10	PASS
8	2863	912.6	Subtest5	BA	-13.76	PASS


Band1 Channel=9612 Subtest1.png




Band1 Channel=9612 Subtest2.png




Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9612 Subtest5.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9750 Subtest5.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band1 Channel=9888 Subtest5.png




Band8 Channel=2712 Subtest1.png




Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png




Band8 Channel=2712 Subtest4.png




Band8 Channel=2712 Subtest5.png




Band8 Channel=2788 Subtest1.png




Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2788 Subtest5.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png




Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



Band8 Channel=2863 Subtest5.png



### Clause 4.2.12 HSPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)


Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-50.31	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-40.56	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-41.39	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-50.90	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-51.14	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-41.22	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-42.21	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-51.59	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-49.78	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-40.03	-32.2	PASS
1	9612	1922.4	Subtest3	5MHz	-40.72	-32.2	PASS
1	9612	1922.4	Subtest3	10MHz	-50.62	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-51.19	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-41.26	-32.2	PASS
1	9612	1922.4	Subtest4	5MHz	-42.32	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-51.73	-42.2	PASS
1	9612	1922.4	Subtest5	-10MHz	-49.97	-42.2	PASS
1	9612	1922.4	Subtest5	-5MHz	-41.63	-32.2	PASS
1	9612	1922.4	Subtest5	5MHz	-42.34	-32.2	PASS
1	9612	1922.4	Subtest5	10MHz	-50.71	-42.2	PASS

1	9750	1950	Subtest1	-10MHz	-50.47	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-43.69	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-43.38	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-50.39	-42.2	PASS
1	9750	1950	Subtest2	-10MHz	-51.36	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-44.86	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-44.84	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-51.19	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-50.73	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-43.04	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-42.67	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-50.68	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-51.28	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-45.02	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-45.10	-32.2	PASS
1	9750	1950	Subtest4	10MHz	-51.21	-42.2	PASS
1	9750	1950	Subtest5	-10MHz	-50.28	-42.2	PASS
1	9750	1950	Subtest5	-5MHz	-44.26	-32.2	PASS
1	9750	1950	Subtest5	5MHz	-44.05	-32.2	PASS
1	9750	1950	Subtest5	10MHz	-50.35	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-50.93	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-43.90	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-44.70	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-51.30	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-52.23	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-45.00	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-45.99	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-52.46	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-50.39	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-43.11	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-43.85	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-50.86	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-51.83	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-44.92	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-46.04	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-52.31	-42.2	PASS
1	9888	1977.6	Subtest5	-10MHz	-50.26	-42.2	PASS
1	9888	1977.6	Subtest5	-5MHz	-43.91	-32.2	PASS
1	9888	1977.6	Subtest5	5MHz	-44.99	-32.2	PASS
1	9888	1977.6	Subtest5	10MHz	-51.15	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-55.90	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-47.34	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-45.17	-32.2	PASS


8	2712	882.4	Subtest1	10MHz	-54.39	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-56.31	-42.2	PASS
8	2712	882.4	Subtest2	-5MHz	-47.45	-32.2	PASS
8	2712	882.4	Subtest2	5MHz	-45.55	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-54.87	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-55.35	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-47.25	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-44.93	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-54.12	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-58.44	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-47.58	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-45.54	-32.2	PASS
8	2712	882.4	Subtest4	10MHz	-55.69	-42.2	PASS
8	2712	882.4	Subtest5	-10MHz	-64.01	-42.2	PASS
8	2712	882.4	Subtest5	-5MHz	-47.70	-32.2	PASS
8	2712	882.4	Subtest5	5MHz	-45.58	-32.2	PASS
8	2712	882.4	Subtest5	10MHz	-57.76	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-54.40	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-45.88	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-44.92	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-54.37	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-54.79	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-46.01	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-45.08	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-54.62	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-53.74	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-45.93	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-44.83	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-53.74	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-56.04	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-46.21	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-45.20	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-55.67	-42.2	PASS
8	2788	897.6	Subtest5	-10MHz	-53.78	-42.2	PASS
8	2788	897.6	Subtest5	-5MHz	-46.02	-32.2	PASS
8	2788	897.6	Subtest5	5MHz	-44.90	-32.2	PASS
8	2788	897.6	Subtest5	10MHz	-53.94	-42.2	PASS
8	2863	912.6	Subtest1	-10MHz	-53.62	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-44.23	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-45.89	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-56.27	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-54.03	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-44.64	-32.2	PASS

8	2863	912.6	Subtest2	5MHz	-46.26	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-56.53	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-53.59	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-44.16	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-45.78	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-56.02	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-54.74	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-44.56	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-46.39	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-58.62	-42.2	PASS
8	2863	912.6	Subtest5	-10MHz	-53.20	-42.2	PASS
8	2863	912.6	Subtest5	-5MHz	-44.26	-32.2	PASS
8	2863	912.6	Subtest5	5MHz	-45.90	-32.2	PASS
8	2863	912.6	Subtest5	10MHz	-55.87	-42.2	PASS


Band1 Channel=9612 Subtest1.png




Band1 Channel=9612 Subtest2.png




Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9612 Subtest5.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9750 Subtest5.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band1 Channel=9888 Subtest5.png




Band8 Channel=2712 Subtest1.png




Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png




Band8 Channel=2712 Subtest4.png




Band8 Channel=2712 Subtest5.png




Band8 Channel=2788 Subtest1.png




Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2788 Subtest5.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png




Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



Band8 Channel=2863 Subtest5.png



### Clause 4.2.2 HSUPA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
1	9612	1977.6	Subtest1	21.75	18.8	25.7	PASS
1	9612	1922.4	Subtest2	22.52	18.8	25.7	PASS
1	9612	1922.4	Subtest3	21.38	18.8	25.7	PASS
1	9612	1922.4	Subtest4	22.70	18.8	25.7	PASS
1	9612	1922.4	Subtest5	22.48	18.8	25.7	PASS
1	9750	1950	Subtest1	21.00	18.8	25.7	PASS
1	9750	1950	Subtest2	21.72	18.8	25.7	PASS
1	9750	1950	Subtest3	21.60	18.8	25.7	PASS
1	9750	1950	Subtest4	21.72	18.8	25.7	PASS
1	9750	1950	Subtest5	19.62	18.8	25.7	PASS
1	9888	1977.6	Subtest1	22.76	18.8	25.7	PASS
1	9888	1977.6	Subtest2	22.76	18.8	25.7	PASS
1	9888	1977.6	Subtest3	22.67	18.8	25.7	PASS
1	9888	1977.6	Subtest4	22.73	18.8	25.7	PASS
1	9888	1977.6	Subtest5	22.70	18.8	25.7	PASS
8	2712	912.6	Subtest1	20.28	18.8	25.7	PASS
8	2712	882.4	Subtest2	21.23	18.8	25.7	PASS
8	2712	882.4	Subtest3	20.43	18.8	25.7	PASS
8	2712	882.4	Subtest4	21.76	18.8	25.7	PASS
8	2712	882.4	Subtest5	21.21	18.8	25.7	PASS

8	2788	897.6	Subtest1	21.21	18.8	25.7	PASS
8	2788	897.6	Subtest2	21.37	18.8	25.7	PASS
8	2788	897.6	Subtest3	20.02	18.8	25.7	PASS
8	2788	897.6	Subtest4	21.34	18.8	25.7	PASS
8	2788	897.6	Subtest5	21.20	18.8	25.7	PASS
8	2863	912.6	Subtest1	21.03	18.8	25.7	PASS
8	2863	912.6	Subtest2	21.33	18.8	25.7	PASS
8	2863	912.6	Subtest3	20.05	18.8	25.7	PASS
8	2863	912.6	Subtest4	21.37	18.8	25.7	PASS
8	2863	912.6	Subtest5	20.09	18.8	25.7	PASS