

REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 1 of 33

Applicant Company Name: Shenzhen Huafurui Technology Co., Ltd.

Applicant Company Address: Unit 1401 &1402, 14/F, Jinqi zhigu mansion (No. 4 building of

Chongwen Garden), Crossing of the Liuxian street and Tangling road,

Taoyuan street, Nanshan district, Shenzhen, P.R. China

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name : Smart Phone

Model No.

: CUBOT Trademark

Sample Receiving Date : July 23, 2020

Testing Period : From July 23, 2020 to July 28, 2020

Results : Please refer to next page(s).

Summary of Test Results:

TEST REQUEST CONCLUSION

EU RoHS Directive 2011/65/EU and its amendment directives 2015/863/EU (RoHS 2.0)

Shenzhen Deesev Testing International Corp



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 2 of 33

Results:

1, EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq.	Tooted Davida	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
071	Black Electroplating	BL	BL	BL	BL	BL	
2	Metal Case Substrate	BL	BL	BL	BL	BL	
3	Transparent Plastic	BL	BL	BL	BL	BL	
) 4	White Translucent Plastic Shell (Flash Lamp)	BL	BL	BL	BL	BL	
5	FPC	BL	BL	BL	BL	BL	
6	Silver Metal Sheet	BL	BL	BL	BL	BL	
371	Patch LED	BL (BL	BL	∫BL	BL	
8	Copper Foil	BL	BL	BL	BL	BL	
9	Black Plastic Frame	BL	BL	BL	BL	BL	
011110	Silver Metal Pedestal	BL	BL	BL	BL	BL	
11	Gold Metal Nut	Х	BL	BL	BL	BL	
12	Black Electroplating	BL	BL	BL	BL	BL	
13	Plastic Frame Substrate	BL	BL	BL	BL	BL	
14	FPC	BL	BL	BL	BL	BL	
15	Copper Foil	BL	BL	BL	BL	BL	
16	FPCTI (TI) (TI) (TI)	BL	BL	BL	BL	BL	
17	LED	BL	BL	BL	BL	BL	
18	Touch Screen Glass	BL	BL	BL	BL	BL	
<u>)</u> 19	Display Screen Glass	BL	BL	BL	BL	BL	
20	Silver Plastic Patch	BL	BL	BL	BL	BL	







REPORT No.: DTIBW20200666-2 Page 3 of 33 Date: 2020-07-28

KLI OK	Date: 2020-07-20							
Seq.	Tested Part(s)	Results						
No.	Tooled Falloy	Pb	Cd	Hg	Cr	Br		
21	White Plastic Patch	BL	BL	BL	BL	BL		
22	Transparent Plastic Sheet	BL	BL	BL	BL	BL		
23	Silver Plastic Sheet	BL	BL	BL	BL	BL		
24	Black Plastic Stickers	BL	BL	BL	BL	BL		
25	Gray Plastic Frame	BL	BL	BL	BL	BL		
26	Silver Metal Case	BL	BL	BL	BL	BL		
27	Black Coating	BL	BL	BL	BL	BL		
28	Transparent Glass Sheet	BL	BL	BL	BL	BL		
29	PCB	BL	BL	BL	BL	X		
30	Solder Point	BL	BL	BL	BL	BL		
31	Silver Metal Socket	BL	BL	BL	BL	BL		
32	Gold Metal Socket	BL	BL	BL	BL	BL		
33	Black Plastic Plug-Base	BL	BL	BL	BL	BL		
34	Gold Metal Terminal	BL	BL	BL	BL	BL		
35	Black Plastic Cover	BL	BL	BL	BL	BL		
36	Beige Plastic Plug-Base	BL	BL	BL	BL	BL		
37	Gold Metal Terminal	BL	BL	BL	BL	BL		
38	Black Plastic Plug-Base	BL	BL	BL	BL	BL		
39	Gold Metal Terminal	BL	BL	BL	BL	BL		
40	Silver Metal Frame	BL	BL	BL	BL	BL		







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 4 of 33

Seq. No.	Tooted Dark(a)	Results					
	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
41	Black Plastic Plug-Base	BL	BL	BL	BL	BL	
42	Gold Metal Terminal	BL	BL	BL	BL	BL	
43	Patch Coil Inductor	BL	BL	BL	BL	BL	
44	Copper Winding	BL	BL	BL	BL	BL	
45	Black Ceramic Body Chip	BL	BL	BL	BL	BL	
46	Patch Resistor	BL	BL	BL	BL	BL	
47	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL	
48	Patch Diode	BL	BL	BL	BL	BL	
49	SMD Components	BL	BL	BL	BL	BL	
50	Crystal Oscillator	BL	BL	BL	BL	BL	
51	Silver Metal Terminal	BL	BL	BL	BL	BL	
52	Silver Metal Case (Card Slot)	BL	BL	BL	BL	BL	
53	Black Plastic (Card Slot)	BL	BL	BL	BL	BL	
54	Silver Metal Sheet (Card Slot)	BL	BL	BL	BL	BL	
55	Gold Metal Needles (Card Slot)	BL	BL	BL	BL	BL	
56	White Label Stickers	BL	BL	BL	BL	BL	
57	Black Ceramic Body Chip	BL	BL	BL	BL	BL	
58	Patch Resistor	BL	BL	BL	BL	BL	
59	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL	
60	Patch Diode	BL	BL	BL	BL	BL	







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 5 of 33

Seq.	OTI OTI OTI OTI OTI OTI	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
61	Black Plastic Cover	BL	BL	BL	BL	BL	
620	Beige Plastic Plug-Base	BL	BL	BL	BL	BL	
63	Gold Metal Terminal	BL	BL	BL	BL	BL	
64	Black Plastic Plug-Base	BL	BL	BL	BL	BL	
65	Gold Metal Terminal	BLT	BL	BL	BL	BL	
66	Gold Metal Terminal	BL	BL	BL	BL	BL	
67	Patch Coil Inductor	BL	BL	BL	BL	BL	
68	Copper Winding	BL	BLO	BL	BL	BL	
69	PCB	BL	BL	BL	BL	X	
70	Solder Point	BL	BL	BL	BL	BL	
71	Crystal Oscillator	BL	BL	BLO	BL	BL	
72	Silver Metal Terminal	BL	BL	BL	BL	BL	
73	Gold Metal Socket	BL	BL	BL	BL	BL	
74	Black Ceramic Body Chip	BL	BL	BL	BL®	BL	
75	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL	
76	Patch Diode	BL	BL	BL	BL	BL	
77 🧐	Silver Metal Case	BL	BL	BL	BL	BL	
78	Internal Black Plastic	BL	BL	BL	BL	BL	
79	Silver Metal Needles	BL	BL	BL	BL	BL	
80	Black Plastic Plug-Base	BLO	BL	BL	BL	BL	







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 6 of 33

Seq.	Tootod Port(o)	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
81	Gold Metal Terminal	BL	BL	BL	BL	BL	
82	Silver Metal Frame	BL	BL	BL	BL	BL	
83	Double Faced Adhesive Tape	BL	BL	BL	BL	BL	
84	White Horn Paper (Horn)	BL	BL	BL	BL	BL	
85	Silver Horn Paper (Horn)	BL	BL	BL	BL	BL	
86	Black Plastic Frame (Horn)	BL	BL	BL	BL	BL	
87	Silver Metal Cover (Horn)	BL	BL	BL	BL	BL	
88	Transparent Plastic (Horn)	BL	BL	BL	BL	BL	
89	Copper Wire (Horn)	BL	BL	BL	BL	BL	
90	Silver Magnet (Horn)	BL	BL	BL	BL	BL	
91	Silver Metal Pedestal (Horn)	BL	BL	BL	BL	BL	
92	Silver Metal Pin (Horn)	BL	BL	BL	BL	BL	
93	Silver Metal Microphone Components	BL	BL	BL	BL	BL	
94	Red Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
95	Blue Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
96	Wire Internal Metal Wire	BL	BL	BL	BL	BL	
97	FPC TILL TILL TILL TILL TILL TILL TILL TIL	BL	BL	BL	BL	BL	
98	Silver Metal Sheet	BL	BL	BL	BL	BL	
99	Silver Metal Case	BL	BL	BL	BL	BL	
100	Black Camera Components	BL	BL	BL	BL	BL	







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 7 of 33

Seq.	Date: 2020-07-20		Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br		
101	Black Plastic Plug-In	BL	BL	BL	BL	BL		
102	Gold Metal Terminal	BL	BL	BL	BL	BL		
103	FPC	BL	BL	BL	BL	BL		
104	Silver Metal Sheet	BL	BL	BL	BL	BL		
105	Black Plastic Plug-In	BL	BL	BL	BL	BL		
106	Gold Metal Terminal	BL	BL	BL	BL	BL		
107	FPC	BL	BL	BL	BL	BL		
108	Silver Metal Sheet	BL	BL	BL	BL	BL		
109	Black Plastic Plug-In	BL	BL	BL	BL	BL		
110	Gold Metal Terminal	BL	BL	BL	BL	BL		
111	SMD Components	BL	BL	BL	BL	BL		
112	Black Rubber Cover	BL	BL	BL	BL	BL		
113	FPC	BL	BL	BL	BL	BL		
114	Silver Metal Sheet	BL	BL	BL	BL	BL		
115	Black Plastic Plug-In	BL	BL	BL	BL	BL		
116	Gold Metal Terminal	BL	BL	BL	BL	BL		
117	Patch Resistor	BL	BL	BL	BL	BL		
118	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL		
119	Patch Diode	BL	BL	BL	BL	BL		
120	FPC	BL	BL	BL	BL	BL		







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 8 of 33

Seq.	Tested Part(s)	Results					
No.	l ested Part(s)	Pb	Cd	Hg	Cr	Br	
121	Silver Metal Sheet	BL	BL	BL	BL	BL	
122	Black Stickers	BL	BL	BL	BL	BL	
123	Silver Metal Sheet	BL	BL	BL	BL	BL	
124	FPC	BL	BL	BL	BL	BL	
125	Copper Foil	BL	BL	BL	BL	BL	
126	Black Stickers	BL	BL	BL	BL	BL	
127	FPC	BL	BL	BL	BL	BL	
128	Silver Metal Sheet	BL	BL	BL	BL	BL	
129	Black Plastic Plug-In	BL	BL	BL	BL	BL	
130	Gold Metal Terminal	BL	BL	BL	BL	BL	
131	Black Electroplating	BL	BL	BL	BL	BL	
132	Metal Sheet Substrate	BL	BL	BL	BL	BL	
133	Silver Metal Frame	BL	BL	BL	BL	BL	
134	Black Electroplating	BL	BL	BL	BL	BL	
135	Metal Button Substrate	BL	BL	BL	BL	BL	
136	Black Rubber Cover	BL	BL	BL	BL	BL	
137	Black Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
138	Wire Internal Metal Wire	BL	BL	BL	BL	BL	
139	Gold Metal Plug	BL	BL	BL	BL	BL	
140	Yellow Plastic Sticker	BL	BL	BL	BL	BL	







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 9 of 33

Seq.	Tooted Port(s)	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
141	Electrode Metal Sheet	BL	BL	BL	BL	BL	
142	Aluminum Laminated Films	BL	BL	BL	BL	BL	
143	Polymer Membranes	BL	BL	BL	BL	BL	
144	Green Plastic Sticker	BL	BL	BL	BL	BL	
145	White Plastic Sticker	BL	BL	BL	BL	BL	
146	Copper Foil	BL	BL	BL	BL	BL	
147	Aluminum Foil	BL	BL	BL	BL	BL	
148	PCB	BL	BL	BL	BL	BL	
149	Solder Point	BL	BL	BL	BL	BL	
150	Patch Resistor	BL	BL	BL	BL	BL	
151	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL	
152	Black Ceramic Body Chip	BL	BL	BL	BL	BL	
153	FPC	BL	BL	BL	BL	BL	
154	Silver Metal Sheet	BL	BL	BL	BL	BL	
155	Black Plastic Plug-In	BL	BL	BL	BL	BL	
156	Gold Metal Terminal	BL	BL	BL	BL	BL	
157	Silver Metal Screws	BL	BL	BL	BL	BL	
158	Black Metal Screws	BL	BL	BL	BL	BL	
159	Silver Metal Case (Chip Cover)	BL	BL	BL	BL	BL	
160	Copper Foil	BL	BL	BL	BL	BL	







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 10 of 33

Seq.	Tooted Dait(a)	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
161	Light Blue Silica Gel	BL	BL	BL	BL	BL	
162	Yellow Plastic Sticker	BL	BL	BL	BL	BL	
163	Gray Viscose Tape	BL	BL	BL	BL	BL	
164	Gray Coating	BL	BL	BL	BL	BL	
165	White Plastic Case	BL	BL	BL	BL	BL	
166	White Plastic Cover	BL	BL	BL	BL	BL	
167	Silver Metal Round Plug	BL	BL	BL	BL	BL	
168	Black Plastic Sheet	BL	BL	BL	BL	BL	
169	PCB	BL	BL	BL	BL	X	
170	Solder Point	BL	BL	BL	BL	BL	
171	Black Ceramic Body Chip	BL	BL	BL	BL	BL	
172	Patch Resistor	BL	BL	BL	BL	BL	
173	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL	
174	Patch Diode	BL	BL	BL	BL	BL	
175	Silver Metal Case (USB)	BL	BL	BL	BL	BL	
176	Internal White Plastic (USB)	BL	BL	BL	BL	X	
177	Gold Metal Needles	BL	BL	BL	BL	BL	
178	Blue Plastic Sticker	BL	BL	BL	BL	BL	
179	Yellow Plastic Sticker	BL	BL	BL	BL	BL	
180	Black Square Magnetic Ring	BL	BL	BL	BL	BL	







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 11 of 33

Seq.	Tooted Port(a)	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
181	Transformer Ceramic Frame	BL	BL	BL	BL	BL	
182	Transformer Copper Winding	BL	BL	BL	BL	BL	
183	White Viscose	BL	BL	BL	BL	BL	
184	Electrolytic Capacitor Outer Layer Plastic Leather	BL	BL	BL	BL	BL	
185	Electrolytic Capacitor Silver Metal Case	BL	BL	BL	BL	BL	
186	Electrolytic Capacitor Internal Sticker	BL	BL	BL	BL	BL	
187	Silver Metal Sheet	BL	BL	BL	BL	BL	
188	Black Heat Shrink Tube Sleeve	BL	BL	BL	BL	BL	
189	Color Ring Resistance	BL	BL	BL	BL	BL	
190	Silver Metal Pin	BL	BL	BL	BL	BL	
191	Chromatic Ring Inductor	BL	BL	BL	BL	BL	
192	Silver Metal Pin	BL	BL	BL	BL	BL	
193	Blue Ceramic Capacitance	BL	BL	BL	BL	BL	
194	Silver Metal Pin	BL	BL	BL	BL	BL	
195	Electrolytic Capacitor Silver Metal Case	BL	BL	BL	BL	BL	
196	Electrolytic Capacitor Internal Sticker	BL	BL	BL	BL	BL	
197	White Soft Plastics (USB)	BL	BL	BL	BL	BL	
198	Silver Metal Case (USB)	BL	BL	BL	BL	BL	
199	Internal White Plastic (USB)	BL	BL	BL	BL	BL	
200	Gold Metal Needles	BL	BL	BL	BL	BL	







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 12 of 33

ZEI OITI 140.: D11D1/2020000 2				1 agc 12 01 00					
Seq.	Tested Part(s)	Results							
No.		Pb	Cd	Hg	Cr	Br			
201 Solder Point			BL	BL	BL	BL	BL		
202 White Plastic Skir	White Plastic Skin						BL		
203 Silver Shielding F	Silver Shielding Paper						BL		
204 Silver Metal Wire	Silver Metal Wire					BL	BL		
205 Black Plastic Wire	Black Plastic Wire Outer Skin				BL	BL	BL		
206 Red Plastic Wire	Red Plastic Wire Outer Skin					BL	BL		
207 Green Plastic Wir	re Outer Skin		BL	BL	BL	BL	BL		
208 White Plastic Wir	e Outer Skin		BL	BL	BL	BL	BL		
209 Wire Internal Met	al Wire	(6)	BL	BL	BL	BL	BL		
210 White Soft Plastic	S		BL	BL	BL	BL	BL		
211 Silver Metal Case		ان ان	BL	BL	BL	BL	BL		
212 Internal White Pla	astic	(0)	BL	BL	BL	BL	BL		
213 Silver Metal Need	les		BL	BL	BL	BL	BL		
214 PCB	(ii)	ari) ari)	BL	BL	BL	BL	⊚X		
215 Solder Point	(0)	(6)	BL	BL	BL	BL	BL		









REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 13 of 33

Remark:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
©TI Cd	mg/kg	BL≤70-3σ< X <130+3σ≤OL	BL≤70-3σ< X <130+3σ≤OL	BL≤50-3σ< X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤ OL	BL≤500-3σ< X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ< X	BL≤700-3σ< X	BL≤500-3σ< X
Br	mg/kg	BL≤300-3σ< X	orii - orii	BL≤250-3σ< X

Note:

BL = Below Limit
OL = Over Limit
X = Inconclusive

(2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents is advised that information contained herein effects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China中国广东省 深圳市 宝安区隆昌路 8号 飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200666-2 Page 14 of 33 Date: 2020-07-28

(3) The maximum permissible limit is quoted from the document 2011/65/EU and its amendment directives

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	≤100
Lead (Pb)	≤1000
Mercury (Hg)	≤1000
Hexavalent Chromium (Cr(VI))	≤1000
Polybrominated biphenyls (PBBs)	≤1000
Polybrominate ddiphenylethers (PBDEs)	≤1000







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 15 of 33

2. The Test Results of Chemical Method:

Test method:

Lead, Cadmium, Mercury Content:

With reference to IEC 62321-5:2013 and IEC62321-4:2013+AMD1:2017, by acid digestion and analysis was performed by Inductively Coupled Plasma- Atomic Emission Spectrophotometer (ICP-AES)

Hexavalent Chromium Content (For metal material):

With reference to IEC 62321-7-1:2015, by boiling-water-extraction and analysis was performed by UV-visible spectrophotometer (UV-Vis)

Hexavalent Chromium Content (For non-metal material):

With reference to IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic/mass spectrometer (GC-MS)

DEHP, BBP, DBP&.DIBP content:

With reference to IEC 62321-8:2017 by solvent extraction and analysis was performed by gas chromatographic -mass spectrometer (GC-MS)

til (Dill (Dill (Dill







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 16 of 33

1) The test results of Pb

140	11:4	MDI	Results	l imalit	
Item	Unit	MDL	11*	Limit	
Lead(Pb)	mg/kg	20,111	14855	≤1000	DTi
Conclusion	/	1	Pass	1	

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- mg/kg = ppm
- *= the weight of lead in the copper alloy does not exceed 4%(40000ppm).







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 17 of 33

2) The test results of PBBs & PBDEs

Itam	l lmi4	MDI			Results			Limit	
Item	Unit	MDL	29	69	167	176	214	Limit	
Polybrominated Biphenyls (PBBs)									
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	/	
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1_	
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	177	
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	/	
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	/	
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	(DTI)	
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.		
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Total content	mg/kg	1	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Polybrominated Diphenylethers (PBI	DEs)(Mon	-Deca)							
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	(071)	
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	/	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	ŊN.D.	ofil /	
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	/	
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	10.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Total content	mg/kg	1	N.D.	N.D.	N.D.O	N.D.	N.D.	≤1000	
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1	

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit







REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 18 of 33

3) The test results of DEHP, BBP, DBP & DIBP

Item	11:4				l imais			
	Unit	MDL	3	4	5	7	9	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	/	Pass	Pass	Pass	Pass	Pass	1

Item	Unit	MDL			Results			Limit
	Unit	MIDL	13	14	16	17	18	Lilliit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	/

Item	Unit	MDI		2	Limit			
item		MDL	19	20	21	22	23	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



(DTI)



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 19 of 33

Item (pri) (pri)	Unit	Init all MDI	Results					LIMIN	
	Unit	MDL	24	25	27	28	29	Limit	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	1	(010)	Pass	Pass	Pass	Pass	Pass	1 (0)	

	11	Limita MDI	Results					Limit
Item (pri) (pri)	Unit	MDL	33	35	36	38	41	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	₀ ≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	<u> </u>	Pass	Pass	Pass	Pass	Pass	(ori)

Item	Unit	MDI	Results					
pril pril pril		MDL	43	45	46	4701	48	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1) 1	Pass	Pass	Pass	Pass	Pass	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座时楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 20 of 33

ltem	(D)))	OTI	OTI	(DTi)			
	Unit	MDL	49	53	56	57	58	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Itam OTI OTI OTI	Unit	MDI	Ti)	OTI	Results		oril	OTI
Item	Offic	MDL	59	60	61	62	64	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	

Item ori	Unit	MDI	Results					(I)	
item (p)		MDL	67	69	74	75	76	Limit	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	101	1	Pass	Pass	Pass	Pass	Pass	OFI	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn

DTI



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 21 of 33

Item	(D)	MDI	OTI	OTI	Results				
	Unit	MDL	78	80	83	84	85	Limit	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1	

Item (DTI) (DTI)	n (při)	MDI	71)	OTI	Results		oril	OTI
	Unit	MDL	86	88	94	95	97	Limit ≤1000 ≤1000 ≤1000 ≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Item of the local control of t	1144	MDI	1	(sil	Results				
	Unit	MDL	100	101	103	105	107	Limit	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	101	1	Pass	Pass	Pass	Pass	Pass	OFF	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn

DTI



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 22 of 33

Item	(0,1	MDI	OTI	OTI	Results		OTI	OTI
	Unit	MDL	109	111	112	113	115	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

	OTI	MDI	Ti)	OTI	Pinit			
Item	Unit	MDL	117	118	119	120	122	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	

Item of the local control of t	1144	MDI	1	(Fi)	Results	/a	1	1114
	Unit	MDL	124	126	127	129	136	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	101	1	Pass	Pass	Pass	Pass	Pass	OFI



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 23 of 33

Item		MDI	OTI	OTI	Results		OTI	(DTI)
	Unit	MDL	137	140	142	143	144	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

li Ham (OTI) (OTI)	(OTi)	MDI	Ti)	OTI	Limit			
Item	Unit	MDL	145	148	150	151	152	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	(0)

Item of the local control control	1144	MDI	1	(sil	1)			
	Unit	MDL	153	155	161	162	163	Limit ≤1000 ≤1000 ≤1000 ≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	101	1	Pass	Pass	Pass	Pass	Pass	OFF



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座时楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 24 of 33

Item	07	MDI	OTI	OTI	Results	(1)	OTI	OTI
	Unit	MDL	164	165	166	168	169	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Ham (DTI) (DTI)	OTI	MDI	Ti)	OTI	Limit			
Item	Unit	MDL	171	172	173	174	176	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.91	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	7

Item of the local control of t	1144	MDI	1	(sil	Results	/4	1	1)
	Unit	MDL	178	179	180	181	183	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	101	1	Pass	Pass	Pass	Pass	Pass	OFT





This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座时楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 25 of 33

Item (při) (při)	Unit	MDL	Results					
			184	186	188	189	191	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	(011)	Pass	Pass	Pass	Pass	Pass	10

Item (pri) (pri)	Unit	MDL	Results					l imais
			193	196	197	199	202	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	₃ ≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	到 1	Pass	Pass	Pass	Pass	Pass	OTI

Item Ur	Unit	MDL	Results					Limit
	Onit	MDL	203	205	206	207	208	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	Oti



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座时楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn

OTI



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 26 of 33

Item (pri) (pri) (pri)	Unit	MDL	ati)	(iteas		
			210	212	214	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	≤1000
Conclusion	1	(011)	Pass	Pass	Pass	101

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- Flow chart appendix is included.
- Photo appendix is included.








REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 27 of 33

Appendix I

Test Flow chart

Test Flowchart for Cd / Pb /Hg content
 These samples were dissolved totally by pre-conditioning method according to below flow chart.









REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 28 of 33 3. Test Flowchart for Cr⁶⁺ content (Non-metal material) Adjust the pH of Weighted sample Add digestion solution and extracted solution to Cutting/ and put into a heat in constant temperature 7.5 ± 0.5 and transfer preparation conical flask shaking water baths into a volumetric flask Made up with Analyzed by UV-vis Adjust the pH to 2.0 ± 0.5 and deionized water; add DATA (540nm) make up with deionized water Diphenylcarbazide solution Test Flowchart for PBBs & PBDEs content Add organic solvent and Concentrated/ Cutting/ Weight sample and extracted by dilute extracted solution place in a thimble preparation Ultrasonic method Cool, cleanup solution Concentrated extracted Make up with organic solvent ◀ Data Analyzed by GC-MS solution 5. Test Flowchart for DEHP, BBP, DBP & DIBP content Add organic solvent and Cutting/ Weight sample and Concentrated/ extracted by place in a thimble dilute extracted solution preparation Ultrasonic method Cool, cleanup solution Data Analyzed by GC-MS Make up with organic solvent ◀ Concentrated extracted solution





REPORT No.: DTIBW20200666-2 Page 29 of 33 Date: 2020-07-28

Table:

Sample material	Digestion Acid				
Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂				
Glass	HNO ₃ /HF				
Gold, platinum, palladium, ceramic	Aqua regia				
Silver	HNO ₃				
Plastic (1)	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI				
Others	Any acid to total digestion				



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's soile responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of $the \ law.unless \ otherwise \ stated \ the \ results \ shown \ in \ this \ test \ report \ refer \ only \ to \ the \ sample(s) tested.$



DIII



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 30 of 33

Appendix II

Photograph of Sample






This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's sold present produced that information contained hereon reflects the company's sold present produced in a distriction, if any, the company's sold present produced execept in full, without prior written approval of the company, and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China中国广东省 深圳市 宝安区 隆昌路 8号 "S扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 31 of 33



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents is advised that information contained herein effects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn

OTI



REPORT No.: DTIBW20200666-2 Page 32 of 33 Date: 2020-07-28 83,93 94,96 97,102 103,106 120-123 124-126 127-130 113-119 107¹112 137-139 131-133 134-135 136 140,147 148-152 153-156 157₇158 159_T160 161 162-163 164_T165 166-167 168



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China中国广东省 深圳市 宝安区隆昌路 8号 飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn

OTI



REPORT No.: DTIBW20200666-2 Date: 2020-07-28 Page 33 of 33

169-170 171-174

175-177 178-183 184-186

195-196 193-194 191-192

*** End of Report ***



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn

(DTI)