TEST REPORT

Applicant	:	**Shenzhen Huafurui Technology Co., Ltd.**
Address	:	**Unit 1401 & 1402, 14/F, Jinqi Zhigu Mansion (No. 4 Building of Chongwen Garden), Crossing of the Liuxian Street and Tangling Road, Taoyuan Street, Nanshan District, Shenzhen, 518055, P.R. China**

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name(s)	:	**Smartphone**
Trade Mark	:	**CUBOT**
Part No.	:	**NOTE 50**
Sample Received Date	:	**May 15, 2023**
Testing Period	:	**May 15, 2023 ~ May 18, 2023**
Date of Report	:	**May 23, 2023**
Testing Location	:	**901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China**
Test Requested	:	**As specified by client, to screen the 233 substances of very high concern (SVHC) under Regulation (EC) No 1907/2006 of REACH in the submitted sample(s).**
Test Method/Test Result(s)	:	**Please refer to the following page(s).**
Summary	:	**According to the analytical results, concentrations of all tested SVHC (see the candidate list) is less than 0.1%(w/w) in the submitted sample(s).**

Signed for and on behalf of LCS

Lily dan

Sample Description

Sample No.	Sample Description
1	Black plastic shell
2	Black plastic adhesive
3	Black glass
4	Black plastic shell
5	Grey plastic sheet
6	Black metal sheet
7	Silver metal sheet
8	Silver metal sheet
9	Black plastic sheet
10	Gold metal sheet
11	Black plastic sheet
12	Gold metal screw
13	Black foam
14	Gold metal sheet
15	Black plastic sheet
16	Transparent plastic sheet
17	White plastic sheet
18	Black plastic cable
19	Black plastic sheet
20	Gold metal needle
21	Red metal wire
22	Transparent plastic sheet
23	White plastic sheet
24	Silver metal sheet
25	Black plastic sheet
26	Gold metal needle
27	Magnet
28	Silver metal sheet
29	Yellow plastic cable
30	Black foam
31	Silver metal sheet
32	Grey plastic dry adhesive
33	Gold metal needle
34	Black plastic sheet
35	Black foam
36	Silver metal sheet

37	Yellow plastic cable
38	Black foam
39	Silver metal sheet
40	Black plastic wire cover
41	Silver metal wire
42	White plastic wire
43	Black soft plastic
44	Black soft plastic
45	Silver metal screw
46	Black gold screw
47	Black plastic sheet
48	Grey plastic tape
49	Red plastic wire cover
50	Black plastic wire cover
51	Silver metal wire
52	Silver metal sheet
53	Red metal wire
54	Magnet
55	Silver plastic sheet
56	Black foam
57	Transparent plastic sheet
58	Grey foam
59	Silver metal sheet
60	Black plastic sheet
61	Gold metal needle
62	Black PCB board
63	Brown chip capacitor
64	Black IC
65	Black diode
66	Black chip resistor
67	Black IC
68	Black plastic sheet
69	Gold metal needle
70	Tin solder
71	Silver crystal oscillator
72	Gold metal needle
73	Black transistor
74	Gold metal sheet
75	Yellow tape

76	Red plastic wire cover
77	Blue plastic wire cover
78	Silver metal wire
79	Black foam
80	Silver metal sheet
81	Silver metal ring
82	Grey foam
83	Silver metal needle
84	Silver metal sheet
85	Golden thread
86	Gold metal sheet
87	Green PCB board
88	Gold metal sheet
89	Silver metal sheet
90	Yellow plastic cable
91	Silver metal sheet
92	Transparent plastic sheet
93	Black plastic cable
94	Black foam
95	Silver plastic foam
96	Silver metal sheet
97	Silver metal ring
98	Gold metal sheet
99	Magnet
100	Magnet
101	Gold metal needle
102	Black plastic sheet
103	Gold wire
104	Transparent plastic sheet
105	Yellow plastic cable
106	Silver metal sheet
107	Black plastic sheet
108	Transparent glass
109	Blue glass
110	Black chip capacitor
111	Gold metal needle
112	Black plastic sheet
113	Black IC
114	Yellow plastic sheet

115	Black foam
116	Yellow plastic cable
117	Transparent glass
118	Black plastic sheet
119	Blue glass
120	Gold metal needle
121	Black plastic sheet
122	Brown chip capacitor
123	White plastic sheet
124	Gold metal needle
125	Black plastic sheet
126	Yellow plastic cable
127	Black foam
128	Transparent glass
129	Black chip capacitor
130	Black chip resistor
131	Yellow plastic cable
132	Brown chip capacitor
133	Black IC
134	Black plastic cable
135	Silver metal needle
136	Black plastic sheet
137	Grey plastic gauze
138	Gold metal sheet
139	Green plastic cable
140	White LED light
141	White PCB board
142	Black foam
143	Transparent glass
144	Black glass
145	Black plastic sheet
146	Silver plastic sheet
147	Glass
148	Grey foam
149	Silver plastic sheet
150	White plastic sheet
151	Silver plastic sheet
152	White plastic sheet
153	Silver plastic sheet

154	Transparent plastic sheet
155	Silver plastic sheet
156	Black plastic sheet
157	Transparent plastic adhesive
158	Grey gold plate
159	Silver metal sheet
160	Black IC
161	Black PCB board
162	Silver metal sheet
163	Tin solder
164	Black IC
165	Brown chip capacitor
166	Silver metal sheet
167	Black IC
168	Black IC
169	Black IC
170	Yellow plastic label sheet
171	White plastic sheet
172	Silver metal sheet
173	White plastic sheet
174	White plastic sheet
175	Silver metal needle
176	White plastic wire cover
177	Pink plastic wire cover
178	Black plastic wire cover
179	White plastic wire cover
180	Green plastic wire cover
181	Gold wire
182	White soft plastic
183	Silver metal sheet
184	Transparent plastic sheet
185	White plastic sheet
186	Silver metal sheet
187	Grey plastic sheet
188	Silver metal needle
189	Blue PCB board
190	Tin solder
191	White plastic sheet
192	Silver metal sheet

193	Silver metal needle
194	Grey plastic sheet
195	White plastic wire cover
196	White soft plastic
197	White soft plastic
198	White plastic sheet
199	White plastic sheet
200	Black plastic mesh
201	Tin solder
202	Green PCB board

Test No.	**Sample Description**
A1	Mix all metal

Test No.	**Sample Description**
B1	Mix all non metal

Test Result(s)

Batch	**No.**	**Substance Name(s)**	**CAS No.**	**EC No.**	**Concentration (%)**		**Report Limit (%)**
					A1#	B1#	
-	-	All tested SVHC (See the candidate list)	-	-	N.D.	N.D.	-

Test Method:

Refer to US EPA 3052:1996, US EPA 3050B:1996, US EPA 3060A:1996, US EPA 3550C:2007, US EPA 3540C:1996, ISO 17353:2004(E), EN 14582:2016 for sample pretreatment.

Analyzed by ICP-OES, UV-Vis, IC, HPLC, GC-MS, GC-FID and LC-MS-MS.

Sample/Part Description

Sample No.	**Sample/Part Description**	**Number of SVHC**
A1	Mixed test, all parts (Metal)#	73
B1	Mixed test, all parts (Nonmetal)#	233

Note:

1. The table of tested result(s) only shows detected SVHC, and SVHC that below Report Limit are not reported. Please refer to the Candidate List of SVHC on next pages.
2. w/w %=weight by weight; 0.1%=1000mg/kg=1000ppm
3. N.D.=Not Detected(＜Report Limit)
4. *：Concentration value of the substance by the conversion from the test results of certain elements.

   Concentration value of Bis(tributyltin)oxide(TBTO), Dibutyltin dichloride(DBTC), 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate(DOTE), Reaction mass of 2-ethylhexyl

10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate(reaction mass of DOTE and MOTE), Dibutylbis(pentane-2,4-dionato-O,O')tin by the conversion from the test results of certain compounds(Tributyl Tins(TBT), Dibutyl Tins(DBT), Dioctyl Tins(DOT), Monooctyl Tins(MOT)).

5. **: All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex IV of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation(Regulation (EC) No 1272/2008).
6. ***: C.I.: Colour Index
7. ****: Light fractions from distillation
8. *****: Concentration value of Disodium tetraborate, anhydrous and Tetraboron disodium heptaoxide, hydrateis evaluated by Disodium tetraborate, with no consider of the hydrate. Concentration value of Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate is evaluated by Sodium perborate, with no consider of the hydrate.
9. ▲: Concentration value of Formaldehyde, oligomeric reaction products with aniline (technical MDA) by the conversion from the test results of certain compounds(2,4-Diaminodiphenylmethane,4,4'-Diaminodiphenylmethane, 2,2-Diaminodiphenylmethane).
10. ①: In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances. When the content of the representative substances is equal to or higher than 0.1%(w/w), the presence of the substance in the sample need to be further confirmed by checking SDS or requesting from suppliers.
11. ②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of the representative compounds are calculated based on the result of specified heavy metal elements.
12. #: As specified by client, the test was conducted by mixing several samples together. The result(s) shown on this report may be different from the content of any homogeneous material.
13. ★: Indicates the tested items of 73 SVHC.

Remark:

The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.

Candidate List of SVHC

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
I	1	Anthracene	120-12-7	204-371-1	0.005
I	2	4,4'-Diaminodiphenylmethane	101-77-9	202-974-4	0.005
I	3	Dibutyl phthalate(DBP)	84-74-2	201-557-4	0.005
I	4★	Cobalt dichloride*	7646-79-9	231-589-4	0.01
I	5★	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.01
I	6★	Diarsenic trioxide*	1327-53-3	215-481-4	0.01
I	7★	Sodium dichromate *	7789-12-0 10588-01-9	234-190-3	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
I	8	Musk xylene	81-15-2	201-329-4	0.005
I	9	Bis(2-ethyl(hexyl) phthalate) (DEHP)	117-81-7	204-211-0	0.005
I	10	Hexabromocyclododecane (HBCDD)	25637-99-4 3194-55-6 (134237-50-6) (134237-51-7) (134237-52-8)	247-148-4 221-695-9	0.005
I	11	Short Chain Chlorinated Paraffins (SCCPs)	85535-84-8	287-476-5	0.01
I	12	Bis(tributyltin)oxide(TBTO)*	56-35-9	200-268-0	0.005
I	13★	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.01
I	14	Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	0.005
I	15★	Triethyl arsenate*	15606-95-8	427-700-2	0.01
II	16	①Anthracene oil	90640-80-5	292-602-7	0.05
II	17	①Anthracene oil, anthracene paste, distn. Lights****	91995-17-4	295-278-5	0.05
II	18	①Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	295-275-9	0.05
II	19	①Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.05
II	20	①Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.05
II	21	①Coal tar pitch, high temperature	65996-93-2	266-028-2	0.05
II	22	Acrylamide	79-06-1	201-173-7	0.01
II	23	2,4-Dinitrotoluene	121-14-2	204-450-0	0.01
II	24	Diisobutyl phthalate(DIBP)	84-69-5	201-553-2	0.005
II	25★	②Lead chromate	7758-97-6	231-846-0	0.05
II	26★	②Lead chromate molybdate sulphate red (C.I. Pigment Red 104)***	12656-85-8	235-759-9	0.05
II	27★	②Lead sulfochromate yellow (C.I. Pigment Yellow 34)***	1344-37-2	215-693-7	0.05
II	28	Tris(2-chloroethyl)phosphate(TCEP)	115-96-8	204-118-5	0.01
III	29	Trichloroethylene	79-01-6	201-167-4	0.005
III	30★	Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	0.01
III	31★	②Disodium tetraborate, anhydrous*****	1330-43-4 12179-04-3 1303-96-4	215-540-4	0.01
III	32★	②Tetraboron disodium heptaoxide, hydrate*****	12267-73-1	235-541-3	0.01
III	33★	Sodium chromate*	7775-11-3	231-889-5	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
III	34★	Potassium chromate*	7789-00-6	232-140-5	0.01
III	35★	Ammonium dichromate*	7789-09-5	232-143-1	0.01
III	36★	Potassium dichromate*	7778-50-9	231-906-6	0.01
IV	37★	Cobalt(II) sulphate*	10124-43-3	233-334-2	0.01
IV	38★	Cobalt(II) dinitrate*	10141-05-6	233-402-1	0.01
IV	39★	Cobalt(II) carbonate*	513-79-1	208-169-4	0.01
IV	40★	Cobalt(II) diacetate*	71-48-7	200-755-8	0.01
IV	41	2-Methoxyethanol	109-86-4	203-713-7	0.005
IV	42	2-Ethoxyethanol	110-80-5	203-804-1	0.005
IV	43★	Chromium trioxide*	1333-82-0	215-607-8	0.01
IV	44★	① Acids generated from chromium trioxide and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5 13530-68-2	231-801-5 236-881-5	0.01
V	45	2-ethoxyethyl acetate	111-15-9	203-839-2	0.01
V	46★	Strontium chromate*	7789-06-2	232-142-6	0.01
V	47	① 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	271-084-6	0.01
V	48	Hydrazine	7803-57-8 302-01-2	206-114-9	0.01
V	49	1-methyl-2-pyrrolidone	872-50-4	212-828-1	0.01
V	50	1,2,3-trichloropropane	96-18-4	202-486-1	0.01
V	51	① 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	276-158-1	0.01
VI	52★	② Aluminosilicate Refractory Ceramic Fibres (RCF)**	—	—	0.05
VI	53★	② Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF)**	—	—	0.05
VI	54★	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.01
VI	55★	Potassium hydroxyoctaoxodizincate dichromate*	11103-86-9	234-329-8	0.01
VI	56	① Formaldehyde, oligomeric reaction products with aniline (technical MDA)▲	25214-70-4	500-036-1	0.01
VI	57★	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VI	58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.005
VI	59	2-Methoxyaniline (o-Anisidine)	90-04-0	201-963-1	0.005
VI	60	4-(1,1,3,3-tetramethylbutyl) phenol(4-tert-Octylphenol)	140-66-9	205-426-2	0.005
VI	61	1,2-Dichloroethane	107-06-2	203-458-1	0.005
VI	62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.005
VI	63★	Arsenic acid*	7778-39-4	231-901-9	0.01
VI	64★	Calcium arsenate*	7778-44-1	231-904-5	0.01
VI	65★	Trilead diarsenate*	3687-31-8	222-979-5	0.01
VI	66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.005
VI	67	Phenolphthalein	77-09-8	201-004-7	0.005
VI	68	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.005
VI	69★	Lead diazide*	13424-46-9	236-542-1	0.01
VI	70★	Lead 2,4,6-trinitro-m-phenylene dioxide (Lead styphnate)*	15245-44-0	239-290-0	0.01
VI	71★	Lead dipicrate*	6477-64-1	229-335-2	0.01
VII	72	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.01
VII	73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.01
VII	74★	Diboron trioxide*	1303-86-2	215-125-8	0.01
VII	75	Formamide	75-12-7	200-842-0	0.01
VII	76★	Lead(II) bis methanesulfonate*	17570-76-2	401-750-5	0.01
VII	77	TGIC(1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	219-514-3	0.01
VII	78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	423-400-0	0.01
VII	79	4,4'-bis(dimethylamino)benzophenone (Michler'sketone)	90-94-8	202-027-5	0.01
VII	80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler'sbase)	101-61-1	202-959-2	0.01
VII	81	[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. BasicViolet 3)***	548-62-9	208-953-6	0.01
VII	82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene]dimethylammoniumchloride (C.I. Basic Blue 26)***	2580-56-5	219-943-6	0.01
VII	83	α,α-Bis[4-(dimethylamino)phenyl]-4(phenylamino)naphthalene-1-methanol	6786-83-0	229-851-8	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		(C.I. Solvent Blue 4)***			
VII	84	4,4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol	561-41-1	209-218-2	0.01
VIII	85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	214-604-9	0.05
VIII	86	Pentacosafluorotridecanoic acid	72629-94-8	276-745-2	0.05
VIII	87	Tricosafluorododecanoic acid	307-55-1	206-203-2	0.05
VIII	88	Henicosafluoroundecanoic acid	2058-94-8	218-165-4	0.05
VIII	89	Heptacosafluorotetradecanoic acid	376-06-7	206-803-4	0.05
VIII	90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated *[covering well-defined substances and UVCB substances, polymers and homologues]*	—	—	0.05
VIII	91	① 4-Nonylphenol, branched and linear *[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]*	—	—	0.05
VIII	92	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.05
VIII	93	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	85-42-7 13149-00-3 14166-21-3	201-604-9 236-086-3 238-009-9	0.05
VIII	94	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0 19438-60-9 48122-14-1 57110-29-9	247-094-1 243-072-0 256-356-4 260-566-1	0.05
VIII	95	Methoxyacetic acid	625-45-6	210-894-6	0.05
VIII	96	① 1,2-Benzenedicarboxylic acid, dipentylester,branched and linear	84777-06-0	284-032-2	0.05
VIII	97	Diisopentylphthalate (DIPP)	605-50-5	210-088-4	0.05
VIII	98	N-pentyl-isopentylphthalate	776297-69-9	—	0.05
VIII	99	1,2-Diethoxyethane	629-14-1	211-076-1	0.05
VIII	100	N,N-dimethylformamide	68-12-2	200-679-5	0.05
VIII	101	Dibutyltin dichloride (DBTC)*	683-18-1	211-670-0	0.05
VIII	102★	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.01
VIII	103★	Trileadbis(carbonate) dihydroxide*	1319-46-6	215-290-6	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VIII	104★	Lead oxide sulfate*	12036-76-9	234-853-7	0.01
VIII	105★	[Phthalato(2-)]dioxotrilead*	69011-06-9	273-688-5	0.01
VIII	106★	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.01
VIII	107★	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.01
VIII	108★	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.01
VIII	109★	Lead cyanamidate*	20837-86-9	244-073-9	0.01
VIII	110★	Lead dinitrate*	10099-74-8	233-245-9	0.01
VIII	111★	Lead monoxide (lead oxide)*	1317-36-8	215-267-0	0.01
VIII	112★	Orange lead (lead tetroxide)*	1314-41-6	215-235-6	0.01
VIII	113★	Lead titanium trioxide*	12060-00-3	235-038-9	0.01
VIII	114★	Lead titanium zirconium oxide*	12626-81-2	235-727-4	0.01
VIII	115★	Pentaleadtetraoxide sulphate*	12065-90-6	235-067-7	0.01
VIII	116★	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.01
VIII	117★	Silicic acid($H_2Si_2O_5$), barium salt (1:1), lead-doped*	68784-75-8	272-271-5	0.01
VIII	118★	Silicic acid, lead salt*	11120-22-2	234-363-3	0.01
VIII	119★	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.01
VIII	120★	Tetraethyllead*	78-00-2	201-075-4	0.01
VIII	121★	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.01
VIII	122★	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.01
VIII	123	Furan	110-00-9	203-727-3	0.05
VIII	124	Methyloxirane (Propylene oxide)	75-56-9	200-879-2	0.05
VIII	125	Diethyl sulphate	64-67-5	200-589-6	0.05
VIII	126	Dimethyl sulphate	77-78-1	201-058-1	0.05
VIII	127	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	421-150-7	0.05
VIII	128	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	201-861-7	0.05
VIII	129	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.05
VIII	130	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.05
VIII	131	4-aminoazobenzene	60-09-3	200-453-6	0.05
VIII	132	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	202-453-1	0.05
VIII	133	6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.05
VIII	134	Biphenyl-4-ylamine	92-67-1	202-177-1	0.05
VIII	135	o-aminoazotoluene	97-56-3	202-591-2	0.05

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VIII	136	o-Toluidine	95-53-4	202-429-0	0.05
VIII	137	N-methylacetamide	79-16-3	201-182-6	0.05
VIII	138	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.05
IX	139	①4-Nonylphenol, branched and linear, ethoxylated *[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]*	—	—	0.05
IX	140★	Cadmium	7440-43-9	231-152-8	0.01
IX	141★	Cadmium oxide*	1306-19-0	215-146-2	0.01
IX	142	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.01
IX	143	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.01
IX	144	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.01
X	145★	Cadmium sulphide *	1306-23-6	215-147-8	0.01
X	146	Dihexyl phthalate	84-75-3	201-559-5	0.01
X	147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)***	573-58-0	209-358-4	0.01
X	148	Disodium4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)***	1937-37-7	217-710-3	0.01
X	149	Imidazolidine-2-thione;2-imidazoline-2-thiol	96-45-7	202-506-9	0.01
X	150★	Lead di(acetate)*	301-04-2	206-104-4	0.01
X	151	①Trixylyl phosphate	25155-23-1	246-677-8	0.01
XI	152	①1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	0.01
XI	153★	Cadmium chloride*	10108-64-2	233-296-7	0.01
XI	154★	②Sodium perborate; perboric acid, sodium salt*****	15120-21-5 11138-47-9	239-172-9 234-390-0	0.01
XI	155★	②Sodium peroxometaborate*****	7632-04-4	231-556-4	0.01
XII	156	2-(2H-Benzotriazol-2-yl)-4,6-ditertpentyl phenol (UV-328)	25973-55-1	247-384-8	0.01
XII	157	2-Benzotriazol-2-yl-4,6-di-tert-butylphen	3846-71-7	223-346-6	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		ol (UV-320)			
XII	158	①Reaction mass of 2-ethylhexyl10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)*	—	—	0.05
XIII	159	①1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5 68648-93-1	271-094-0 272-013-1	0.05
XIII	160	①5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	—	—	0.05
XII	161★	Cadmium fluoride*	7790-79-6	232-222-0	0.01
XII	162★	Cadmium sulphate*	10124-36-4 31119-53-6	233-331-6	0.01
XII	163	2-ethylhexyl10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)*	15571-58-1	239-622-4	0.05
XIV	164	Nitrobenzene	98-95-3	202-716-0	0.01
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.01
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.01
XIV	167	1,3-propanesultone	1120-71-4	214-317-9	0.01
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	206-801-3	0.01
XV	169	Benzo[def]chrysene (Benzo[a]pyrene	50-32-8	200-028-5	0.01
XVI	170	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7 335-76-2 3830-45-3	221-470-5 206-400-3 -	0.01
XVI	171	p-(1,1-dimethylpropyl)phenol	80-46-6	201-280-9	0.01
XVI	172	①4-heptylphenol, branched and linear *[substances with a linear and/or*	—	—	0.05

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		branched alkyl chain with a carbon number of 7covalentlybound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]			
XVI	173	4,4'-isopropylidenediphenol (bisphenol A; BPA)	80-05-7	201-245-8	0.01
XVII	174	Perfluorohexane-1-sulphonic acid and its salts	—	—	0.05
XVIII	175	Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	—	—	0.01
XVIII	176	Benzo[a]anthracene	56-55-3, 1718-53-2	200-280-6	0.01
XVIII	177	① Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP)[with ≥0.1% w/w 4-heptylphenol, branched and linear (4-HPbl)]	—	—	0.05
XVIII	178★	Cadmium nitrate*	10325-94-7 10022-68-1	233-710-6	0.01
XVIII	179★	Cadmium carbonate*	513-78-0	208-168-9	0.01
XVIII	180★	Cadmium hydroxide*	21041-95-2	244-168-5	0.01
XVIII	181	Chrysene	218-01-9, 1719-03-5	205-923-4	0.01
XIX	182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride(trimellitic anhydride) (TMA)	552-30-7	209-008-0	0.01
XIX	183	Benzo[g,h,i]perylene	191-24-2	205-883-8	0.01
XIX	184	Decamethylcyclopentasiloxane (D5)	541-02-6	208-764-9	0.01
XIX	185	Dicyclohexylphthalate(DCHP)	84-61-7	201-545-9	0.01
XIX	186★	Disodium octaborate*	12008-41-2	234-541-0	0.01
XIX	187	Dodecamethylcyclohexasiloxane (D6)	540-97-6	208-762-8	0.01
XIX	188	Ethylenediamine (EDA)	107-15-3	203-468-6	0.01
XIX	189★	Lead	7439-92-1	231-100-4	0.01
XIX	190	Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	0.01
XIX	191	① Terphenyl, hydrogenated	61788-32-7	262-967-7	0.01
XX	192	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2,2,1]heptan-2-one	15087-24-8	239-139-9	0.01
XX	193	2,2-bis(4'-hydroxyphenyl)-4-methylpenta	6807-17-6	401-720-1	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		ne			
XX	194	Benzo[k]fluoranthene	207-08-9	205-916-6	0.01
XX	195	Fluoranthene	206-44-0	205-912-4	0.01
XX	196	Phenanthrene	85-01-8	201-581-5	0.01
XX	197	Pyrene	129-00-0	204-927-3	0.01
XXI	198	4-tert-butylphenol	98-54-4	202-679-0	0.01
XXI	199	2-methoxyethyl acetate	110-49-6	203-772-9	0.01
XXI	200	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	—	—	0.01
XXI	201	① Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with≥0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	—	—	0.01
XXII	202	2-benzyl-2-dimethylamino-4'-morpholino butyrophenone	119313-12-1	404-360-3	0.01
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morp holinopropan-1-one	71868-10-5	400-600-6	0.01
XXII	204	Diisohexyl phthalate	71850-09-04	276-090-2	0.01
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	—	—	0.01
XXIII	206	1-vinylimidazole	1072-63-5	214-012-0	0.01
XXIII	207	2-methylimidazole	693-98-1	211-765-7	0.01
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.01
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin*	22673-19-4	245-152-0	0.05
XXIV	210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.01
XXIV	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety*	—	—	0.01
XXV	212	1,4-dioxane	123-91-1	204-661-8	0.01
XXV	213	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	—	—	0.01
XXV	214	4,4'-(1-methylpropylidene)bisphenol	77-40-7	201-025-1	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XXV	215	2,2-Bis(bromomethyl)propane-1,3-diol(BMP); 2,2-dimethylpropan-1-ol, tribromo derivative; 3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol(2,3-DBPA)	3296-90-0 36483-57-5/ 1522-92-5 96-13-9	221-967-7 253-057-0 202-480-9	0.01
XXV	216	Glutaral	111-30-8	203-856-5	0.01
XXV	217	Middle Chain Chlorinated Paraffins (MCCPs)(UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C_{14} to C_{17})	—	—	0.01
XXV	218★	Orthoboric acid, sodium salt*	13840-56-7	237-560-2	0.05
XXV	219	Phenol, alkylation products (mainly in para position) with C_{12}-rich branched alkyl chains from oligomerisation, covering any individual isomers and/or combinations thereof (PDDP)	—	—	0.01
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	—	—	0.01
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	204-327-1	0.01
XXVI	222	S-(tricyclo(5.2.1.0'2,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.01
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.01
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.01
XXVIII	225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene](BTBPE)	37853-59-1	253-692-3	0.01
XXVIII	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol(TBBPA)	79-94-7	201-236-9	0.01
XXVIII	227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.01
XXVIII	228★	Barium diboron tetraoxide	13701-59-2	237-222-4	0.01
XXVIII	229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	—	—	0.01
XXVIII	230	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.01
XXVIII	231	Melamine	108-78-1	203-615-4	0.01
XXVIII	232	Perfluoroheptanoic acid and its salts	—	—	0.01
XXVIII	233	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl) morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluorop	—	473-390-7	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		ropyl) morpholine			

Appendix:

1. Any supplier of an article containing a substance that is included in the Candidate List in a concentration above 0.1% weight by weight (w/w) has the duty to communicate information in accordance with Article 33 of European Union regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).
   1) Any supplier shall provide the recipient of the article with sufficient information to allow safe use of the article including, as a minimum, the name of that substance.
   2) On request by a consumer any supplier shall provide the consumer with sufficient information to allow safe use of the article including, as a minimum, the name of that substance within 45 days of receipt of the request, free of charge.
2. The supplier of a substance that is included in the Candidate List on their own shall provide the recipient of the substance with a safety data sheet for free compiled in accordance with Article 31 and Annex II of REACH.
3. The supplier of a mixture that containing a substance that is included in the Candidate List shall exchange information in accordance with Article 31, Article 32, and Annex II of REACH.
   1) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation meets the criteria for classification as dangerous in accordance with Directives 1999/45/EC.
   2) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC, but contains any substance that is included in the Candidate List in an individual concentration of ≥0.1% by weight for non-gaseous mixtures or ≥0.2% by volume for gaseous mixtures.

Test Process



Photo(s) of the sample(s)


1


2
3


4
5


6
7


8




9
10
11


12
13
14


15
16
17


18
19-20






21
22
23
24


25
26
27
28


29
30
31


32
33-34


35
36


37
38




39


40
41-42


43
44
45
46




47
48


49-51


52
53
54
55
56
57


59-61
62
58
63


65
64
66


68-69
70
67
72
71


74
73




75


76-78


79
80
81
82
83
84


86
85


88
87
89


91
90
92






94
95
93


96
97
98
99
100
101


102
103
104


105
106
108
109
107
110
111-112
113
114
115
116
117
118
119
120-121
122
123
124-125
126


127
128
129






131
130
132
133
135-136
134


138
139
137


140
141


142




143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159


162
161
163
160
164
165


166


168
167
169


170
171
172
173
174
175


176
177
178
179
180
181


182
183
184
185
186
187
188


189
190













Blank

.

Statement:

1. The test report is invalid without the signature of the approver and the special seal for the company's report;
2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
3. The test results in this report are only responsible for the tested samples;
4. Without written approval of LCS, this report can't be reproduced except in full;
5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***